

# EBP ASSESSMENT PACKET

## ARC

### Ages 18 Months-4 Years Spanish

#### Required Forms

1. Demographic Information:  
Client Intake Face Sheet ☐
2. Child's Trauma History:  
*Trauma History Screen- Caregiver Report* ☐
3. Child's Trauma Symptoms:  
*YCPC- Caregiver Report* ☐
4. Child's Behavior & Functioning:  
*PPSC- Caregiver Report* ☐
5. Caregiver Symptoms:  
*CESD-R Caregiver Depression* ☐
6. Parental Capacity:  
*Parental Stress Scale* ☐
7. ARC Monthly Session form ☐
8. Discharge Face Sheet ☐

#### Supplemental Assessments

Child Depression:  
*SMFQ- Child Report*  
*SMFQ- Caregiver Report*

Caregiver Symptoms:  
*PCL-5 (Caregiver Trauma Symptoms)*

CAGE-AID (Substance Abuse)

OHIO Satisfaction Questionnaire

**Note:** *The recommended ongoing assessment for ARC is an age appropriate measure of caregiver symptoms. We suggest the CESDR or Parental Stress Scale. Alternate or additional measures can be used based on clinical judgment of primary symptom area targeted by treatment.*

# Intake Facesheet

## VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

- !** This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.
- \*** This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

## Direct Service Provider User Information

<b>Clinician First and Last Name: !</b>		<b>Sub-Team (CBITS/BB Only):</b>	
<b>Provider Name: !</b>		<b>Site Name: !</b>	

## Child Information

<b>First Initial Child's First Name: !</b>		<b>First Initial Child's Last Name: !</b>	
<b>Date of Birth: !</b>		<b>Age:</b>	
<b>Sex: !</b>	<input type="checkbox"/> Female <input type="checkbox"/> Male	<input type="checkbox"/> Intersex <input type="checkbox"/> Other (specify) →	
<b>Grade (current): *</b>			
<b>Race: *</b>	<input type="checkbox"/> American Indian or Alaska Native <input type="checkbox"/> Asian	<input type="checkbox"/> Black or African American <input type="checkbox"/> Native Hawaiian or Other Pacific Islander	<input type="checkbox"/> White <input type="checkbox"/> Other (specify)
<b>Hispanic Origin: *</b>	<input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano	<input type="checkbox"/> Yes, of Hispanic/Latino Origin <input type="checkbox"/> Yes, Puerto Rican	<input type="checkbox"/> Yes, South or Central American <input type="checkbox"/> No, Not of Hispanic, Latino, or Spanish Origin
<b>City/town:</b>		<b>ST:</b>	<b>Zip: *</b>

## Child Identification Codes

<b>Agency-assigned Client ID Number (not PHI): !</b>		<b>PSDCRS Client ID Number: !</b>	
--	--	-----------------------------------	--

## Family Information

<b>Caregiver 1 Relationship: *</b>		<b>Caregiver 2 Relationship:</b>	
<b>Preferred Language of Adult Participating in Treatment: *</b>			
<b>Does the adult participating in treatment speak English?</b>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
<b>Primary Language of Child:</b>			
<b>Family Composition: *</b> Select the choice that best describes the composition of the family.	<input type="checkbox"/> Two parent family <input type="checkbox"/> Single Parent with unrelated partner	<input type="checkbox"/> Single parent - biological/adoptive parent <input type="checkbox"/> Blended Family	<input type="checkbox"/> Relative/guardian <input type="checkbox"/> Other

# Intake Facesheet

<b>Living Situation of Child: *</b> What is the child's living situation?	<input type="checkbox"/>	College Dormitory	<input type="checkbox"/>	Job Corps	<input type="checkbox"/>	Psychiatric Hospital
	<input type="checkbox"/>	Crisis Residence	<input type="checkbox"/>	Medical Hospital	<input type="checkbox"/>	Residential Treatment Facility
	<input type="checkbox"/>	DCF Foster Home	<input type="checkbox"/>	Mentor	<input type="checkbox"/>	TFC Foster Home (privately licensed)
	<input type="checkbox"/>	Group Home	<input type="checkbox"/>	Military Housing	<input type="checkbox"/>	Transitional Housing
	<input type="checkbox"/>	Homeless/Shelter	<input type="checkbox"/>	Other (specify):		
	<input type="checkbox"/>	Jail/Correctional Facility	<input type="checkbox"/>	Private Residence		
<b>System Involvement</b>						
<b>Child/Family involved with DCF? *</b>		<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	
<b>If child / family is involved with DCF, please complete ALL of the following questions:</b>						
<b>DCF Case ID: (if available)</b>			<b>DCF Person Link ID: (if available)</b>			
<b>DCF Status:</b>	<input type="checkbox"/>	Child Protective Services – In-Home	<input type="checkbox"/>	Family with Service Needs – (FWSN) In-Home	<input type="checkbox"/>	Not DCF – On Probation
	<input type="checkbox"/>	Child Protective Services – Out of Home	<input type="checkbox"/>	Family with Service Needs (FWSN) Out of Home	<input type="checkbox"/>	Not DCF – Other Court Involved
	<input type="checkbox"/>	Dual Commitment (JJ and Child Protective Services)	<input type="checkbox"/>	Juvenile Justice (delinquency) commitment	<input type="checkbox"/>	Termination of Parental Rights
	<input type="checkbox"/>	Family Assessment Response	<input type="checkbox"/>	Not DCF	<input type="checkbox"/>	Voluntary Services Program
<b>DCF Regional Office:</b>						
<b>Youth involved with Juvenile Justice (JJ) System? *</b>		<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	
<b>If youth is involved with JJ, please complete ALL of the following questions:</b>						
<b>CSSD Client ID: (if available)</b>			<b>CSSD Case ID: (if available)</b>			
<b>CSSD Case Type:</b>		<input type="checkbox"/>	Delinquency	<input type="checkbox"/>	Family with Service Needs (Status Offense)	
<b>CSSD Case Status:</b>	<input type="checkbox"/>	Administrative Supervision	<input type="checkbox"/>	Juvenile probation	<input type="checkbox"/>	Restore Probation
	<input type="checkbox"/>	Extended Probation	<input type="checkbox"/>	Non-Judicial FWSN Family Service Agreement	<input type="checkbox"/>	Suspended Order
	<input type="checkbox"/>	Interim Orders	<input type="checkbox"/>	Non-Judicial Supervision (NJS)	<input type="checkbox"/>	Waived PDS - Probation
	<input type="checkbox"/>	Judicial FWSN Supervision	<input type="checkbox"/>	Non-Judicial Supervision Agreement	<input type="checkbox"/>	
<b>Court District:</b>						
<b>Court Handling Decision:</b>		<input type="checkbox"/>	Judicial	<input type="checkbox"/>	Non-Judicial	
<b>Specific Treatment Information</b>						
<b>What treatment model are you using with this child? *</b>		<input type="checkbox"/>	CBITS	<input type="checkbox"/>	Bounce Back	
		<input type="checkbox"/>	ARC	<input type="checkbox"/>	CPP	
<b>First Clinical Session Date: *</b> Date of first EBP clinical session						

# Intake Facesheet

Treatment Information						
<b>Agency Referral Date/Request for Service: *</b> Date child was referred to agency		<b>Agency Intake Date: *</b> What is the intake date for the client at the agency?				
<b>Referral Date: *</b> Date referred for EBP services						
<b>CGI *- Considering your experience, how severe are the child's emotional, behavioral, and/or cognitive concerns at the time of intake? Circle ONLY one: *</b>						
Normal    Slightly severe    Mildly severe    Moderately severe    Markedly severe    Very severe				Among the most severe symptoms that any child may experience		
<b>Referral Source: *</b> Select the source of the EBP referral	<input type="checkbox"/>	Child Youth-Family Support Center (CYFSC)	<input type="checkbox"/>	Family Advocate	<input type="checkbox"/>	Physician
	<input type="checkbox"/>	Community Natural Support	<input type="checkbox"/>	Foster Parent	<input type="checkbox"/>	Police
	<input type="checkbox"/>	Congregate Care Facility	<input type="checkbox"/>	Info-Line (211)	<input type="checkbox"/>	Probation/Court
	<input type="checkbox"/>	CTBHP/Insurer	<input type="checkbox"/>	Juvenile Probation / Court	<input type="checkbox"/>	Psychiatric Hospital
	<input type="checkbox"/>	DCF	<input type="checkbox"/>	Other Community Provider Agency	<input type="checkbox"/>	School
	<input type="checkbox"/>	Detention Involved	<input type="checkbox"/>	Other Program within Agency	<input type="checkbox"/>	Self/Family
	<input type="checkbox"/>	Emergency Department	<input type="checkbox"/>	Other State Agency		
<b>Assessment Outcome:</b> What was the outcome of the referral to the agency's EBP team? *	<input type="checkbox"/>	Assessment not completed	<input type="checkbox"/>	Not appropriate for selected EBP	<input type="checkbox"/>	No treatment needed
	<input type="checkbox"/>	Appropriate for selected EBP	<input type="checkbox"/>	Not appropriate for selected EBP but needs other treatment		
<b>EBP Intake Date: !</b>						
Treatment Information: School						
During the 3 months prior to the start of EBP treatment...						
<b>Child's school attendance: *</b>	<input type="checkbox"/>	Good (few or no days missed)	<input type="checkbox"/>	No School Attendance: Child Too Young for School	<input type="checkbox"/>	No School Attendance: Other
	<input type="checkbox"/>	Fair (several days missed)	<input type="checkbox"/>	No School Attendance: Child Suspended/Expelled from School		
	<input type="checkbox"/>	Poor (many days missed)	<input type="checkbox"/>	No School Attendance: Child Dropped Out of School		
<b>Suspended or expelled: *</b>			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
<b>IEP: *</b> Does the child have an Individual Education Plan (special education)?			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Treatment Information: Legal						
During the 3 months prior to the start of EBP treatment...						
<b>Arrested: *</b> Has the child been arrested since start of treatment?			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
<b>Detained or incarcerated: *</b> Has the child been detained or incarcerated since start of treatment?			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Treatment Information: Medical						
During the 3 months prior to the start of EBP treatment...						
<b>Alcohol and/or drugs problems: *</b>			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
<b>Evaluated in ER/ED for psychiatric issues: *</b>			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
<b>Certified medically complex: *</b>			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No

**Evaluación del Historial de Trauma (THS) (Caregiver: Spanish)**

Instrucciones: Pregunte cuántas veces cada una de las siguientes situaciones le sucedió a su hijo/a. Después cuánto le afectó al niño/a esa situación en ese momento y cuánto le está afectando ahora.		¿Cuántas veces esto pasa?					¿Cuánto le afectó a el/ella la peor vez que esto sucedió?					¿Cuánto le molesta esta situación su hijo/a ahora?				
		Nunca	Una vez	2-3 veces	4-10 veces	10+ veces	Nada	Muy Poco	Moderadamente	Mucho	Extremadamente	Nada	Muy poco	Moderadamente	Mucho	Extremadamente
	“¿Alguna vez su niño/a.....”															
1	Ha visto o ha estado envuelto en un accidente muy serio?						1	2	3	4	5	1	2	3	4	5
2	Ha tenido algún conocido gravemente herido o enfermo al bordo de la muerte?						1	2	3	4	5	1	2	3	4	5
3	Ha conocido a alguien que haya muerto?						1	2	3	4	5	1	2	3	4	5
4	Ha estado tan gravemente enfermo/a que el médico o usted llegó a pensar que iba a morir?						1	2	3	4	5	1	2	3	4	5
5	Ha sido separado inesperadamente de las personas de quienes depende para recibir afecto y seguridad por varios días?						1	2	3	4	5	1	2	3	4	5
6	Ha tenido a alguien cercano que ha tratado de hacerse daño o suicidarse?						1	2	3	4	5	1	2	3	4	5
7	Ha sido amenazado de ó recibido algún daño físico?						1	2	3	4	5	1	2	3	4	5
8	Ha sido víctima de robo ó ha presenciado un robo?						1	2	3	4	5	1	2	3	4	5
9	Ha sido secuestrado por alguien?						1	2	3	4	5	1	2	3	4	5
10	Ha visto o estado en un tornado, terremoto, huracán ó un incendio?						1	2	3	4	5	1	2	3	4	5
11	Ha sido atacado por un perro ó algún otro animal?						1	2	3	4	5	1	2	3	4	5
12	Ha visto o escuchado gente peleando físicamente o amenazándose con hacerse daño?						1	2	3	4	5	1	2	3	4	5
13	Ha visto ó escuchado a alguien disparar un arma de fuego, usar un puñal, ó usar otra arma?						1	2	3	4	5	1	2	3	4	5
14	Ha visto a un miembro de la familia ser arrestado ó en la cárcel?						1	2	3	4	5	1	2	3	4	5
15	Ha vivido algún periodo de su vida cuando no ha recibido cuidados básicos apropiados? (comida, ropa ó un lugar para vivir)						1	2	3	4	5	1	2	3	4	5
16	Ha sido forzado a ver ó a hacer algo sexual?						1	2	3	4	5	1	2	3	4	5
17	Ha visto, oído a otra persona ser forzado a hacer algo sexual?						1	2	3	4	5	1	2	3	4	5
18	Ha visto gente usando drogas? (fumando, oliendo o inyectándose)						1	2	3	4	5	1	2	3	4	5
19	Ha presenciado alguna situación amenazante donde el/ella pensó que alguien podría resultar herido ó muerto? Describe _____						1	2	3	4	5	1	2	3	4	5

20. ¿Cuál de las situaciones anteriores le causa mayor molestia AHORA? #\_\_\_\_\_ ¿Hace cuánto tiempo ocurrió? \_\_\_\_\_

Lang, J.M., &amp; Franks, R. (2007). Adapted from the TESI (Ford &amp; Rogers, 1997) and the THQ (Stover et al., 2007)

## Escala de Respuesta

1	2	3	4	5
Nunca	Muy Poco	Moderadamente	Mucho	Extremadamente

**YOUNG CHILD PTSD CHECKLIST (YCPC) (Caregiver: Spanish)**

Para niños menor de 7 años

Lo próximo es una lista de los síntomas que los niños pueden tener después de eventos que amenazan la vida.

Cuando piense en TODOS los eventos traumáticos que amenazan la vida de la primera página, marque el número debajo (0-4) que mejor describe la frecuencia con la que el síntoma le ha molestado en LAS ÚLTIMAS 2 SEMANAS.

0	1	2	3	4			
Nunca	Una vez por semana/ De vez en cuando	2 a 4 veces por semana/ La mitad del tiempo	5 o más veces por semana / Casi siempre	Todos los días			
1.	¿Tiene su niño/niña recuerdos obsesivos involuntarios del evento traumático? ¿Los expresa por cuenta propia?		0	1	2	3	4
2.	¿Representa su hijo/a el evento traumático en sus juegos con muñecas o juguetes? Es decir, representa con escenas parecidas al evento traumático. ¿O personifica ese evento solo/a o con otros niños?		0	1	2	3	4
3.	¿Está su hijo/a teniendo más pesadillas desde que el evento traumático ocurrió?		0	1	2	3	4
4.	¿Actúa su hijo/a como si el evento traumático estuviera ocurriendo de nuevo, aun cuando no lo está? Esto es cuando su hijo/a actúa como estuviera en el evento traumático y no estar en contacto con la realidad. Esto es bastante obvio cuando sucede.		0	1	2	3	4
5.	Desde el trauma, su hijo/a ha tenido episodios en que parece quedarse congelado/a? Usted puede haber tratado de despertar, pero no responde.		0	1	2	3	4
6.	¿Se molesta cuando algo le recuerda el evento o eventos traumáticos? Por ejemplo, un niño que ha estado en un accidente automovilista podría ponerse nervioso al viajar en un coche. O, un niño que ha estado en un huracán podría ponerse nervioso cuando llueve. O, un niño que ha presenciado violencia doméstica podría ponerse nervioso cuando otras personas discuten. O, un niño que sufrió abuso sexual podría ponerse nervioso cuando alguien lo toca.		0	1	2	3	4
7.	¿Muestra su niño signos físicos de angustia cuando algo le recuerda el evento o eventos traumáticos? Por ejemplo, corazón acelerado, manos temblorosas, sudoración, falta de aire o náuseas. Piense en ejemplos similares a los de la pregunta #6.		0	1	2	3	4
8.	¿Su hijo/a trata de evitar las conversaciones que podrían recordarle el evento o eventos traumáticos? Por ejemplo, si otras personas hablan de lo que sucedido se aleja o cambia el tema.		0	1	2	3	4
9.	¿Procura su hijo/a evitar cosas o lugares que podrían recordarle del evento o eventos traumáticos? Por ejemplo, un niño que ha estado en un accidente automovilista podría resistirse a entrar a un coche. O, un niño que ha estado en una inundación podría pedirle que no cruce un puente. O, un niño que ha presenciado violencia doméstica podría ponerse nervioso en la casa donde sucedió. O un niño que fue víctima de abuso sexual podría ponerse nervioso cerca de la cama donde paso.		0	1	2	3	4
10.	¿Tiene su hijo (a) dificultades para recordar todo el incidente? ¿Ha bloqueado todo el evento?						
11.	¿Desde el evento o eventos traumáticos, ha perdido interés su hijo/a en las cosas que le gustaba hacer?		0	1	2	3	4
12.	¿Desde el evento o eventos traumáticos, muestra su hijo/a un grado más restringido de emociones positivas en el rostro en comparación con antes?		0	1	2	3	4

**YCPC (Caregiver: Spanish) continuo**

13.	¿Ha perdido su hijo/a esperanza para el futuro? Por ejemplo, cree que no se divertirá mañana, o nunca será bueno en nada.					
14.	¿Desde el evento o eventos traumáticos, su hijo/a se a vuelto más distante y retirado de familiares, parientes o amigos?	0	1	2	3	4
15.	¿Su hijo/a ha tenido dificultades para dormir o quedarse dormido/a desde el evento traumático?	0	1	2	3	4
16.	¿Su hijo se ha vuelto más irritable, o ha tenido explosiones de ira, o ha desarrollado rabietas extremas desde el evento traumático?	0	1	2	3	4
17.	¿Su hijo/a ha tenido más problemas para concentrarse desde el evento traumático?	0	1	2	3	4
18.	¿Su hijo/a ha estado más "alerta" para que sucedan cosas malas? Por ejemplo, ¿mira por peligro a su alrededor?	0	1	2	3	4
19.	¿Su hijo/a se asusta más fácilmente que antes del evento traumático? Por ejemplo, si hay un ruido fuerte o alguien pasa por detrás, ¿salta o parece sorprendido/a?	0	1	2	3	4
20.	¿Su hijo/a se ha vuelto más agresivo/a físicamente desde el evento traumático? Como golpear, patear, morder o romper cosas.	0	1	2	3	4
21.	¿Se ha vuelto más pegajoso con usted desde el evento traumático?	0	1	2	3	4
22.	¿Los terrores nocturnos comenzaron o empeoraron después del evento traumático? Los terrores nocturnos son diferentes de las pesadillas: en los terrores nocturnos un niño suele gritar en sueños, no se despiertan y no lo recuerda al día siguiente.	0	1	2	3	4
23.	¿Desde el evento traumático, su hijo/a ha perdido habilidades adquiridas anteriormente? ¿Por ejemplo, el entrenamiento en cómo usar el baño? ¿O, habilidades de lengua perdidas? ¿O, habilidades motoras perdidas que trabajan para usar broches de presión, los botones, o las cremalleras?	0	1	2	3	4
24.	¿Desde el evento traumático, su hijo/a ha desarrollado nuevos temores sobre cosas que no parecen relacionadas con el trauma? ¿Qué tal ir al baño solo? ¿O tener miedo de la oscuridad?	0	1	2	3	4
	<b>DETERIORO FUNCIONAL</b> ¿Los síntomas que usted endosó arriba se interponen en el camino de la capacidad de su hijo para funcionar en las siguientes áreas?					
25.	¿Los síntomas sustancialmente "interfieren el camino" de cómo su hijo/a se lleva con usted, interfiere en su relación, o hace que se sienta molesto/a?	0	1	2	3	4
26.	¿Estos síntomas "interfieren el camino" de cómo se lleva con los hermanos o hermanas y le hace sentirse molesto/a?	0	1	2	3	4
27.	¿Estos síntomas "interfieren el camino" de cómo se lleva con los amigos en algo - en la guardería, la escuela, o en su vecindario?	0	1	2	3	4
28.	¿Estos síntomas "se interponen en el camino" con el profesor o la clase más que lo normal?	0	1	2	3	4
29.	¿Los síntomas hacen que sea más difícil para usted llevarlo/a en público de lo que sería con un niño promedio? ¿Es más difícil salir con su hijo a lugares como el supermercado? ¿O a un restaurante?	0	1	2	3	4
30.	¿Cree usted que estos comportamientos hacen que su hijo/a se sienta molesto/a?	0	1	2	3	4



# Lista de verificación de PTSD para niños pequeños

## Escala de la respuesta del cuidador

0	1	2	3	4
Nunca	Una vez por semana/ De vez en cuando	2 to 4 veces por semana/ La mitad del tiempo	5 o más veces por semana/ Casi siempre	Todo los días

Client Initials: \_\_\_\_\_

Client ID: \_\_\_\_\_

Date of Completion: \_\_\_\_/\_\_\_\_/\_\_\_\_



# PPSC:

18 meses, 0 días a 65 meses, 31 días

V1.06, 9-1-16

Estas preguntas se refieren al comportamiento de su hijo. Piense en lo que usted esperaría de otros niños de la misma edad, y díganos cuánto cada declaración aplica a su niño.

		Igual	Un Poco Más	Mucho Más
¿Su niño/a...	parece nervioso o asustado? . . . . .	0	1	2
	parece triste o infeliz? . . . . .	0	1	2
	se molesta si las cosas no se hacen de cierta forma? . . .	0	1	2
	tiene dificultad con los cambios? . . . . .	0	1	2
	tiene dificultad al jugar con otros niños? . . . . .	0	1	2
		0	1	2
		0	1	2
		0	1	2
		0	1	2
	es agresivo? . . . . .	0	1	2
		0	1	2
¿Es difícil...		0	1	2
		0	1	2
		0	1	2
		0	1	2
		0	1	2

# Response Scale for PPSC

0	1	2
Igual	Un Poco	Mucho
	Mas	Mas

Client Initials: \_\_\_\_\_

Client ID: \_\_\_\_\_

Date of Completion: \_\_\_\_/\_\_\_\_/\_\_\_\_

**Center for Epidemiologic Studies Depression Scale – Revised (CESD-R) (Caregiver: Spanish)**

<i>Le voy a leer unas frases que describen como usted se podría haber sentido. Por favor dígame con que frecuencia se ha sentido de esta manera durante la semana pasada:</i>	<b>Durante la Última Semana</b>				<b>Casi todos los días por las últimas 2 semanas</b>
	<b>Nunca o menos que 1 día</b>	<b>1-2 días</b>	<b>3-4 días</b>	<b>5 -7 días</b>	
No me sentía con ganas de comer; tenía mal apetito.	0	1	2	3	4
Sentía que no podía quitarme de encima la tristeza	0	1	2	3	4
Tenía dificultad en mantener mi mente en lo que estaba haciendo.	0	1	2	3	4
Me sentía deprimida/o	0	1	2	3	4
Mi sueño era inquieto.	0	1	2	3	4
Me sentí triste.	0	1	2	3	4
No tenía ganas de hacer nada.	0	1	2	3	4
Nada me hacía feliz	0	1	2	3	4
Sentí que era una persona mala	0	1	2	3	4
Perdí el interés en actividades habituales	0	1	2	3	4
Dormí mas de lo usual	0	1	2	3	4
Sentí que me estaba moviendo muy despacio	0	1	2	3	4
Me sentí inquieta/o	0	1	2	3	4
Quise morirme	0	1	2	3	4
Quise hacerme daño a mi misma/o	0	1	2	3	4
Me sentí cansada/o todo el tiempo	0	1	2	3	4
No me gusté a mi misma/o	0	1	2	3	4
Perdí mucho peso sin intentarlo.	0	1	2	3	4
Tuve muchos problemas para dormir	0	1	2	3	4
No me pude concentrar en las cosas importantes	0	1	2	3	4

Reference: Eaton, W. W., Smith, C., Ybarra, M., Muntaner, C., Tien, A. (2004). Center for Epidemiological Studies Depression Scale: Review and revisión (CESD and CESD-R). In ME Maruish (Ed). The Use of Psychosocial Testing for Treatment Planning and Outcomes Assesment (3rd Ed.) Volume 3: Instruments for Adults, pp. 363-377. Mahwah, NJ: Lawrence Erlbaum.

# Escala de Respuesta

0	1	2	3	4
Nunca o menos que 1 día	Alguna o poca vez	Ocasionalmente o una buena parte del tiempo	La mayor parte del tiempo	Casi todos los días por las últimas 2 semanas
	1-2 días	3-4 días	5-7 días	

## Parental Stress Scale (Caregiver: Spanish)

Las siguientes afirmaciones describen sentimientos y percepciones acerca de la experiencia de ser padre. Piense en cada uno de los artículos en términos de cómo es típicamente su relación con su niño o niños. Por favor, indique el grado en el que está de acuerdo o en desacuerdo con los siguientes elementos, colocando el número apropiado en el espacio proporcionado.

1 = Muy en desacuerdo	2 = Desacuerdo	3 = Indeciso	4 = De acuerdo	5 = Muy de acuerdo
-----------------------	----------------	--------------	----------------	--------------------

<i>Indice</i>		
	1.	Me siento feliz siendo padre/madre.
	2.	No hay nada o casi nada que no haría por mi hijo/a si fuera necesario.
	3.	Atender a mi hijo/a a veces me quita más tiempo y energía de la que tengo.
	4.	A veces me preocupa si estoy haciendo lo suficiente para mi hijo/a.
	5.	Me siento cerca de mi hijo/a.
	6.	Disfruto pasando tiempo con mi hijo/a.
	7.	Mi hijo/a es una fuente importante de afecto para mí.
	8.	Tener un hijo/a me da una visión más segura y optimista para el futuro.
	9.	La causa mayor de estrés en mi vida es mi hijo/a.
	10.	Tener un/a hijo/a deja poco tiempo y flexibilidad en mi vida.
	11.	Tener un hijo/a ha sido una carga financiera.
	12.	Me resulta difícil balancear diferentes responsabilidades debido a mi hijo/a.
	13.	El comportamiento de mi hijo/a es a menudo embarazoso o estresante para mí.
	14.	Si tuviera que hacerlo de nuevo, podría decidir no tener un/a hijo/a.
	15.	Me siento inundado/a por la responsabilidad de ser padre/madre.
	16.	Tener un/a hijo/a ha significado tener muy pocas opciones y poco control sobre mi vida.
	17.	Me siento satisfecho/a como padre/madre.
	18.	Encuentro a mi hijo/a agradable.

### Scoring

To compute the parental stress score, items 1, 2, 5, 6, 7, 8, 17, and 18 should be reverse scored as follows: (1=5) (2=4) (3=3) (4=2) (5=1). The item scores are then summed.

# Escala de Respuesta para el Estrés de los Padres

1	2	3	4	5
Mu en desacuerdo	Desacuerdo	Indeciso	De acuerdo	Muy de acuerdo

# ARC Monthly Session Form

## VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.

\* This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Data Entry Person: Greyed-out fields are pulled in from the completed Client Face Sheet-Intake, so you won't have to enter them again here

## Direct Service Provider User Information

Clinician User ID:			
Clinician First Name:		Clinician Last Name:	
Organization Name:		Site Name:	

## Child Information

First Initial of First Name:		First Initial of Last Name:		Date of Birth:	
------------------------------	--	-----------------------------	--	----------------	--

## Child Identification Codes

Agency-assigned Client ID Number (not PHI):		PSDCRS Client ID Number:	
CSSD Client ID Number:		CSSD Case Number:	
DCF Case ID:		DCF Person Link ID:	

## Session Information

Total Number of Visits this month:		Total Number of No-Show Appointments this month:		Total Number of Visits this month conducted via telehealth:	
% of the total time spent with the child ONLY during this month:		The total time spent for these three % questions should equal 100%			
% of the total time spent with the caregiver ONLY during this month:		The total time spent for these three % questions should equal 100%			
% of the total time spent with the child and caregiver TOGETHER during this month:		The total time spent for these three % questions should equal 100%			



Please check all of the ARC components used this month:						
<b>Integrative/Foundational Strategies</b>						
<input type="checkbox"/>	Routines and Rituals	<input type="checkbox"/>	Psychoeducation			
<b>Attachment Domain</b>						
<input type="checkbox"/>	Caregiver Affect Management	<input type="checkbox"/>	Attunement	<input type="checkbox"/>	Effective Behavioral Response	
<b>Self-Regulation Domain</b>						
<input type="checkbox"/>	Identification	<input type="checkbox"/>	Modulation	<input type="checkbox"/>	Expression/Relational Connection	
<b>Competency Domain</b>						
<input type="checkbox"/>	Executive Functions	<input type="checkbox"/>	Self-Development & Identity			
<b>Trauma Experience Identification</b>						
<input type="checkbox"/>	Caregiver	<input type="checkbox"/>	Child			
<b>Collaboration</b>						
During this month, did you communicate with the child's:	<input type="checkbox"/>	DCF Worker	<input type="checkbox"/>	Probation officer	<input type="checkbox"/>	Physician
	<input type="checkbox"/>	School	<input type="checkbox"/>	Other		
Collaboration Notes:						
<b>Functioning</b>						
Compared to the child's condition at the start of ARC, this child's condition is:	<input type="checkbox"/>	Very much improved since the initiation of treatment	<input type="checkbox"/>	Much Improved	<input type="checkbox"/>	Minimally improved
	<input type="checkbox"/>	No change from baseline (the initiation of treatment)	<input type="checkbox"/>	Minimally worse	<input type="checkbox"/>	Much Worse
	<input type="checkbox"/>	Very much worse since the initiation of treatment				
<b>Session Fidelity Checklist</b>						
<b>Session Structure</b>						
Prior to how many sessions this month did you prepare materials or a session plan?	<input type="checkbox"/>	None (0%)	<input type="checkbox"/>	Some (34-66%)	<input type="checkbox"/>	All (100%)
	<input type="checkbox"/>	A few (1-33%)	<input type="checkbox"/>	Most (67-99%)		
During how many sessions this month was homework assigned or reviewed?	<input type="checkbox"/>	None (0%)	<input type="checkbox"/>	Some (34-66%)	<input type="checkbox"/>	All (100%)
	<input type="checkbox"/>	A few (1-33%)	<input type="checkbox"/>	Most (67-99%)		
During how many sessions this month were COWS saved for the end of the session?	<input type="checkbox"/>	None (0%)	<input type="checkbox"/>	Some (34-66%)	<input type="checkbox"/>	All (100%)
	<input type="checkbox"/>	A few (1-33%)	<input type="checkbox"/>	Most (67-99%)		
During how many sessions this month did the child and/or caregiver practice/demonstrate skill(s) in session (behavior rehearsal)?	<input type="checkbox"/>	None (0%)	<input type="checkbox"/>	Some (34-66%)	<input type="checkbox"/>	All (100%)
	<input type="checkbox"/>	A few (1-33%)	<input type="checkbox"/>	Most (67-99%)		

# Discharge Facesheet

! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.

\* This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Data Entry Person: Greyed-out fields are pulled in from the completed Client Face Sheet-Intake, so you won't have to enter them again here

## Direct Service Provider User Information

Clinician First Name: !

Clinician Last Name: !

## Child Information

Child First Initial: !

Child Last Initial :!

## Child Identification Codes

Which EBP?

☐

ARC

☐

CBITS

☐

Bounce Back

☐

CPP

## Discharge Information

Discharge Date: \* \_\_\_\_/\_\_\_\_/\_\_\_\_

CGI:  
Considering your  
experience, how severe are  
the child's emotional,  
behavioral, and/or cognitive  
concerns at the time of  
discharge?  
(Circle only one):\*

Normal  
Slightly severe  
Mildly severe  
Moderately severe  
Markedly severe  
Very severe  
Among the most severe symptoms  
that any child may experience

CGI:  
Compared to the  
child's condition at  
intake, this child's  
condition is \_\_\_\_  
(circle one): \*

Very much improved  
Much improved  
Minimally improved  
No change  
Minimally worse  
Much worse  
Very much worse

Discharge Reason: \*

☐

Successfully completed selected  
EBP Model requirements-no  
more treatment needed

☐

Referred for other EBP  
(outpatient) within agency

☐

Family moved out of area

☐

Successfully completed selected  
EBP Model requirements-  
continue with other treatment

☐

Referred for other non-EBP  
(outpatient) within agency

☐

Referred to other agency  
(outpatient)

☐

Family discontinued treatment

☐

Referred to higher level of care

☐

Assessment Only-no treatment  
needed

Other (specify):

## System Involvement

Child/Family involved with DCF? \*

☐

Yes

☐

No

If child / family is involved with DCF, please complete ALL of the following questions:

DCF Case ID: (if available)

DCF Person Link ID: (if  
available)

DCF Status:  
DCF Regional Office:

☐

Child Protective Services – In-  
Home

☐

Family with Service Needs –  
(FWSN) In-Home

☐

Not DCF – On Probation

☐

Child Protective Services – Out of  
Home

☐

Family with Service Needs  
(FWSN) Out of Home

☐

Not DCF – Other Court Involved

## Discharge Facesheet

	<input type="checkbox"/>	Dual Commitment (JJ and Child Protective Services)	<input type="checkbox"/>	Juvenile Justice (delinquency) commitment	<input type="checkbox"/>	Termination of Parental Rights
	<input type="checkbox"/>	Family Assessment Response	<input type="checkbox"/>	Not DCF	<input type="checkbox"/>	Voluntary Services Program
Youth involved with Juvenile Justice (JJ) System? *			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
If youth is involved with JJ, please complete ALL of the following questions:						
CSSD Client ID: (if available)				CSSD Case ID: (if available)		
CSSD Case Type:			<input type="checkbox"/>	Delinquency	<input type="checkbox"/>	Family with Service Needs (Status Offense)
CSSD Case Status:	<input type="checkbox"/>	Administrative Supervision	<input type="checkbox"/>	Juvenile probation	<input type="checkbox"/>	Restore Probation
	<input type="checkbox"/>	Extended Probation	<input type="checkbox"/>	Non-Judicial FWSN Family Service Agreement	<input type="checkbox"/>	Suspended Order
	<input type="checkbox"/>	Interim Orders	<input type="checkbox"/>	Non-Judicial Supervision (NJS)	<input type="checkbox"/>	Waived PDS - Probation
	<input type="checkbox"/>	Judicial FWSN Supervision	<input type="checkbox"/>	Non-Judicial Supervision Agreement	<input type="checkbox"/>	
Court District:						
Court Handling Decision:			<input type="checkbox"/>	Judicial	<input type="checkbox"/>	Non-Judicial
Treatment Information: School						
Since the start of EBP treatment...						
Child's school attendance: *	<input type="checkbox"/>	Good (few or no days missed)	<input type="checkbox"/>	No School Attendance: Child Too Young for School	<input type="checkbox"/>	No School Attendance: Other
	<input type="checkbox"/>	Fair (several days missed)	<input type="checkbox"/>	No School Attendance: Child Suspended/Expelled from School		
	<input type="checkbox"/>	Poor (many days missed)	<input type="checkbox"/>	No School Attendance: Child Dropped Out of School		
Suspended or expelled: *			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
IEP: * Does the child have an Individual Education Plan (special education)?			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Treatment Information: Legal						
Since the start of EBP treatment...						
Arrested: * Has the child been arrested since start of treatment?			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Detained or incarcerated: * Has the child been detained or incarcerated since start of treatment?			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Treatment Information: Medical						
Since the start of EBP treatment...						
Alcohol and/or drugs problems: *			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Evaluated in ER/ED for psychiatric issues: *			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Certified medically complex: *			<input type="checkbox"/>	Yes	<input type="checkbox"/>	No

Rev 6/30/2020