



EBP INTAKE ASSESSMENT PACKET

TF-CBT

Ages 5-6 Years English

Required Fo	orms
1. Demographic Information: Client Intake Face Sheet \square	
2. Child's Trauma History: Trauma History Screen- Caregiver Repo	ort 🗆
3. Child's Trauma Symptoms: $YCPC$ - Caregiver Report \square	
4. Child's Behavior & Functioning: <i>Ohio</i> - Caregiver Report □	
Supplemental Ass	cocemonte
(Included in Supplemental As	
Child Depression:	Child Anxiety:
SMFQ- Caregiver Report	PROMIS - Caregiver Report
Caregiver Symptoms:	
PSS (Caregiver Stress)	
PCL-5 (Caregiver Trauma Symptoms)	
CESD-R (Caregiver Depression)	



Intake Facesheet



VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

- ! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.
- This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

		Direct Service	e Pro	ovide	r Use	r Information	1			
Clinician First and Last Name: !										
Treatment Setting: Circle only ONE		Based School DCF nity Support Det	ention	/Correc Day Tre	tions atment	Group Home Hospital In-Home Outpatient Clinic	-	ntial T	ntialTreatment Facility reatment Center d	Shelter Training Only Other
		С	hild	Infor	matic	on				
First Initial Child's First Name:				First I	nitial (Child's Last Nam	ne: <u>I</u>			
Date of Birth: !				Age:						
Sex: !		Female			Interse	х				
		Male			Other (specify)→				
Grade (current): *										
Race: *		American Indian or Al Native	aska		Black o	r African American			White	
		Asian				Hawaiian or Other Islander			Other (specify)	
Hispanic Origin: *		Yes, Cuban			Yes, of	Hispanic/Latino Ori	gin		Yes, South or Central Ar	merican
		Yes, Mexican, Mexican American, Chicano	n		Yes, Pu	erto Rican			No, Not of Hispanic, Lat Spanish Origin	ino, or
City/town:				ST:			Z *	ip:		
		Child	Ider	ntifica	ation (Codes				
Agency-assigned Client ID Number (not PHI): !				PSDC	RS Clie	nt ID Number:	!			
		Fa	mily	/ Info	rmati	on				
Caregiver 1 Relationship: *				Careg	iver 2	Relationship:				
Preferred Language of Adult Participating in Treatment: *										
Does the adult participating in t	reatmo	ent speak English?			Yes				No	
Primary Language of Child:										
Family Composition: * Select the choice that best describes		Two parent family				parent - cal/adoptive parent	:		Relative/guardian	
the composition of the family.	0	Single Parent with unrelated partner			Blende	d Family			Other	



Intake Facesheet



Living Situation of Child: *		College Dormitory		Job Corps		Psychiatric Hospital
What is the child's living situation?		Crisis Residence		Medical Hospital	П	Residential Treatment Facility
		DCF Foster Home		Mentor		TFC Foster Home (privately licensed)
		Group Home		Military Housing		Transitional Housing
		Homeless/Shelter		Other (specify):		
		Jail/Correctional Facility		Private Residence		
		System	Invo	olvement		
Child/Family involved with DCF?	*			Yes		No
If child / family is involved with	DCF, p	lease complete ALL of t	he fol	lowing questions:		
DCF Case ID: (if available)	DCF Case ID: (if available)					
		Child Protective Services – In-Home		Family with Service Needs – (FWSN) In-Home	0	Not DCF – On Probation
DCF Status:		Child Protective Services – Out of Home		Family with Service Needs (FWSN) Out of Home		Not DCF – Other Court Involved
DCF Status.	0	Dual Commitment (JJ and Child Protective Services)		Juvenile Justice (delinquency) commitment		Termination of Parental Rights
		Family Assessment Response		Not DCF		Voluntary Services Program
DCF Regional Office:						
Youth involved with Juvenile Jus	stice (J	J) System? *		Yes		No
If youth is involved with JJ, pleas	se com	plete ALL of the followi	ng qu	estions:		
CSSD Client ID: (if available)			CSSE	Case ID: (if available)		
CSSD Case Type:				Delinquency		Family with Service Needs (Status Offense)
		Administrative Supervision		Juvenile probation		Restore Probation
CSSD Case Status:		Extended Probation		Non-Judicial FWSN Family Service Agreement		Suspended Order
C33D Case Status.		Interim Orders		Non-Judicial Supervision (NJS)		Waived PDS - Probation
		Judicial FWSN Supervision		Non-Judicial Supervision Agreement		
Court District:						
Court Handling Decision:				Judicial		Non-Judicial
		Specific Trea	tmei	nt Information		
What treatment model are you	using v	with this child? *		TF-CBT		MATCH-ADTC
First Clinical Session Date: * Date of first EBP clinical session						



Intake Facesheet



		Treatme	nt In	formation		
Agency Referral Date/Request for Service: * Date child was referred to agency				is the intake date for the client at ency?		
Referral Date: * Date referred for EBP services			Inta	ke Date: ! EBP Intake Date		
Referral Source: * Select the source of the EBP referral		Child Youth-Family Support Center (CYFSC)		Family Advocate		Physician
		Community Natural Support		Foster Parent		Police
		Congregate Care Facility		Info-Line (211)		Probation/Court
		CTBHP/Insurer		Juvenile Probation / Court		Psychiatric Hospital
		DCF		Other Community Provider Agency		School
		Detention Involved		Other Program within Agency		Self/Family
		Emergency Department		Other State Agency		
Assessment Outcome: What was the outcome of the referral to		Assessment not completed		Not appropriate for selected EBP		No treatment needed
the agency's EBP team? *		Appropriate for selected EBP		Not appropriate for selected EBP but needs other treatment		
CGI: Considering your experie of Intake? Circle only ONE:* Normal Slightly Severe Mile	ily Sev			Iarkedly Severe Very Sever		Among the most severe symptoms that any child may experience
			nfor	mation: School		
During the 3 months prior to the start of	f EBP tre	eatment				
Child's school attendance: *		Good (few or no days missed)		No School Attendance: Child Too Young for School	_	No School Attendance: Other
		Fair (several days missed)		No School Attendance: Child Suspended/Expelled from School		
		Poor (many days missed)		No School Attendance: Child Dropped Out of School		
Suspended or expelled: *				Yes		No
IEP: *Does the child have an Individual	Educati	on Plan (special education)?		Yes		No
		Treatment I	nfor	mation: Legal		
During the 3 months prior to the start or	f EBP tre	eatment				
Arrested: * Has the child been arrest	ed since	start of treatment?		Yes		No
Detained or incarcerated: * Has incarcerated since start of treatment?	the child	d been detained or		Yes		No
		Treatment In	form	ation: Medical		
During the 3 months prior to the start or	f EBP tre	eatment				
Alcohol and/or drugs problems:	*			Yes		No
Evaluated in ER/ED for psychiate	ric issu	es: *		Yes		No
Certified medically complex: *				Yes		No

			_	_
Client Initials:	Client ID:	Date of Completion:	/	/
CIICITE IIIICIAI3	CIICITE ID	Date of Completion.	_//	/

Trauma History Screen (THS) (Caregiver: English)

	Directions: Ask how many times each event happened, and how much it affected the child when it happened and now.	tin	ow n nes l oper	nas 1	this		this	s hap w m				How much does this still affect your child?				
	"Has your child ever"	Never	Once	2-3 times	4-10 times	10+ times	Not at all	A little bit	Moderately	Quite a bit	Extremely	Not at all	A little bit	Moderately	Quite a bit	Extremely
1	Been in or seen a very bad accident?						1	2	3	4	5	1	2	3	4	5
2	Had someone s/he know been so badly injured or sick that s/he almost died?						1	2	3	4	5	1	2	3	4	5
3	Known somebody who died?						1	2	3	4	5	1	2	3	4	5
4	Been so sick or hurt that you or the doctor thought s/he might die?						1	2	3	4	5	1	2	3	4	5
5	Been unexpectedly separated from someone who s/he depends on for love or security for more than a few days?						1	2	3	4	5	1	2	3	4	5
6	Had somebody close to him/her try to kill or hurt themself?						1	2	3	4	5	1	2	3	4	5
7	Been physically hurt or threatened by someone?						1	2	3	4	5	1	2	3	4	5
8	Been robbed or seen someone get robbed?						1	2	3	4	5	1	2	3	4	5
9	Been kidnapped by somebody?						1	2	3	4	5	1	2	3	4	5
1 0	Been in or seen a hurricane, earthquake, tornado, or bad fire?						1	2	3	4	5	1	2	3	4	5
1	Been attacked by a dog or other animal?						1	2	3	4	5	1	2	3	4	5
1 2	Seen or heard people physically fighting or threatening to hurt each other?						1	2	3	4	5	1	2	3	4	5
1 3	Seen or heard somebody shooting a gun, using a knife, or using another weapon?						1	2	3	4	5	1	2	3	4	5
1 4	Seen a family member arrested or in jail?						1	2	3	4	5	1	2	3	4	5
1 5	Had a time in your life when s/he did not have the right care (e.g. food, clothing, a place to live)?						1	2	3	4	5	1	2	3	4	5
1 6	Been forced to see or do something sexual?						1	2	3	4	5	1	2	3	4	5
1 7	Seen or heard someone else being forced to do something sexual?						1	2	3	4	5	1	2	3	4	5
1 8	Watched people using drugs (like smoking, sniffing, or using needles)?						1	2	3	4	5	1	2	3	4	5
1 9	Seen something else that was very scary or where s/he thought somebody might get hurt or die? Specify:						1	2	3	4	5	1	2	3	4	5

20. Which one **bothers your child the MOST** right now: #_____ How long ago did it happen: _____

Response Scale for THS

1 2 3 4 5

Not at All Bit Moderately Quite Extremely A bit

Client Initials:	Client ID:	Date of Completion:	/	/
Cherre militials.	CHETTE ID:	Date of completion.	, ,	,

YOUNG CHILD PTSD CHECKLIST (YCPC) (Caregiver: English)

For Child under 7 years old.

Below is a list of symptoms that children can have after life-threatening events.

When you think of ALL the life-threatening traumatic events from the first page, circle the number below (0-4) that best describes how often the symptom has bothered you in the LAST 2 WEEKS.

	0	1	2	3			4				
	Not at all	Once a week/	2 to 4 times a week/	5 or more times a w	eek/		Ever	yday			
		Once in a while	Half the time	Almost always							
	T =				I 6		1 _	1 -	1 . 1		
1.	_	ild have intrusive men	nories of the trauma?	Does s/he bring it	0	1	2	3	4		
	up on his/her			0 m1 1 1 1							
2.	-	ild re-enact the trauma	= =	=	0	1	2	3	4		
		look just like the trau	ıma. Or does s/he act	it out by							
		r with other kids?									
3.		having more nightmar			0	1	2	3	4		
4.		ild act like the traumat			0	1	2	3	4		
		isn't? This is where a		_							
		nt and aren't in touch	with reality. This is a	pretty obvious							
	thing when it	11									
5.		ma(s) has s/he had ep			0	1	2	3	4		
		d to snap him/her out									
6.		upset when exposed t			0	1	2	3	4		
	-	ild who was in a car v	_	_							
		a child who was in a h	_								
	_	child who saw domes	_								
		argue. Or, a girl who v	vas sexually abused m	night be nervous							
	when someon										
7.	Does your chi	ild get physically distr	essed when exposed t	to reminders? Like	0	1	2	3	4		
	heart racing, s	shaking hands, sweaty	, short of breath, or si	ck to his/her							
		nk of the same type of									
8.	Does your chi	ild try to avoid conver	sations that might ren	nind him/her of the	0	1	2	3	4		
	trauma(s)? Fo	or example, if other pe	ople talk about what h	nappened, does s/he							
	•	change the topic?									
9.		ild try to avoid things			0	1	2	3	4		
		or example, a child wh									
		car. Or, a child who v									
	over a bridge.	Or, a child who saw	domestic violence mig	ght be nervous to							
		se where it occurred. (
	be nervous ab	out going to bed beca	use that's where she w	vas abused before.							
10.		ild have difficulty rem	nembering the whole i	ncident? Has s/he							
		ne entire event?									
11.	Has s/he lost	interest in doing thing	s that s/he used to like	e to do since the	0	1	2	3	4		
	trauma(s)?										
12.		ma(s), does your child		nge of positive	0	1	2	3	4		
	emotions on h	nis/her face compared	to before?								

Client Initials:	Client ID:	Date of Completion: /	/

YCPC (Caregiver: English) continued

13.	Has your child lost hope for the future? For example, s/he believes will not					
	have fun tomorrow, or will never be good at anything.					
14.	Since the trauma(s) has your child become more distant and withdrawn	0	1	2	3	4
	from family members, relatives, or friends?					
15.	Has s/he had a hard time falling asleep or staying asleep since the	0	1	2	3	4
	trauma(s)?					
16.	Has your child become more irritable, or had outbursts of anger, or	0	1	2	3	4
	developed extreme temper tantrums since the trauma(s)?					
17.	Has your child had more trouble concentrating since the trauma(s)?	0	1	2	3	4
18.	Has s/he been more "on the alert" for bad things to happen? For example,	0	1	2	3	4
	does s/he look around for danger?					
19.	Does your child startle more easily than before the trauma(s)? For example,	0	1	2	3	4
	if there's a loud noise or someone sneaks up behind him/her, does s/he jump					
	or seem startled?					
20.	Has your child become more physically aggressive since the trauma(s)?	0	1	2	3	4
	Like hitting, kicking, biting, or breaking things.					
21.	Has s/he become more clingy to you since the trauma(s)?	0	1	2	3	4
22.	Did night terrors start or get worse after the trauma(s)? Night terrors are	0	1	2	3	4
	different from nightmares: in night terrors a child usually screams in their					
	sleep, they don't wake up, and they don't remember it the next day.					
23.	Since the trauma(s), has your child lost previously acquired skills? For	0	1	2	3	4
	example, lost toilet training? Or, lost language skills? Or, lost motor skills					
	working snaps, buttons, or zippers?					
24.	Since the trauma(s), has your child developed any new fears about things	0	1	2	3	4
	that <u>don't seem related</u> to the trauma(s)? What about going to the bathroom					
	alone? Or, being afraid of the dark?					
	FUNCTIONAL IMPAIRMENT					
	Do the symptoms that you endorsed above get in the way of your child's					
	ability to function in the following areas?					
25.	Do (symptoms) substantially "get in the way" of how s/he gets along with	0	1	2	3	4
	you, interfere in your relationship, or make you feel upset or annoyed?					
26.	Do these (symptoms) "get in the way" of how s/he gets along with brothers	0	1	2	3	4
	or sisters, and make them feel upset or annoyed?					
27.	Do (symptoms) "get in the way" of how s/he gets along with friends at all –	0	1	2	3	4
	at daycare, school, or in your neighborhood?					
28.	Do these (symptoms) "get in the way" with the teacher or the class more	0	1	2	3	4
	than average?					
29.	Do (symptoms) make it harder for you to take him/her out in public than it	0	1	2	3	4
	would be with an average child?		-			
	Is it harder to go out with your child to places like the grocery store? Or to a					
	restaurant?					
30.	Do you think that these behaviors cause your child to feel upset?	0	1	2	3	4
	20 Journal was more committee of the control of the	Ĭ	-	_		

© Michael Scheeringa, MD, MPH, 2010, Tulane University, New Orleans, LA. <u>mscheer@tulane.edu</u>. This form may be reproduced and used for free, but not sold, without further permission from the author.

Young Child PTSD Checklist Caregiver Response Scale

Client Initials:	Client ID:	Date of Completion:	/	/

Ohio Mental Health Consumer Outcomes System Ohio Youth Problem and Functioning Scales (Caregiver: English) Parent Rating – Short Form

Instructions: Please rate the degree to which your child has experienced the following problems in the past 30 days.	Not at All	Once or Twice	Several Times	Often	Most of the Time	All of the Time
Arguing with others	0	1	2	3	4	5
2. Getting into fights	0	1	2	3	4	5
3. Yelling, swearing, or screaming at others	0	1	2	3	4	5
4. Fits of anger	0	1	2	3	4	5
5. Refusing to do things teachers or parents ask	0	1	2	3	4	5
6. Causing trouble for no reason	0	1	2	3	4	5
7. Using drugs or alcohol	0	1	2	3	4	5
8. Breaking rules or breaking the law (out past curfew, stealing)	0	1	2	3	4	5
9. Skipping school or classes	0	1	2	3	4	5
10. Lying	0	1	2	3	4	5
11. Can't seem to sit still, having too much energy	0	1	2	3	4	5
12. Hurting self (cutting or scratching self, taking pills)	0	1	2	3	4	5
13. Talking or thinking about death	0	1	2	3	4	5
14. Feeling worthless or useless	0	1	2	3	4	5
15. Feeling lonely and having no friends	0	1	2	3	4	5
16. Feeling anxious or fearful	0	1	2	3	4	5
17. Worrying that something bad is going to happen	0	1	2	3	4	5
18. Feeling sad or depressed	0	1	2	3	4	5
19. Nightmares	0	1	2	3	4	5
20. Eating problems	0	1	2	3	4	5

Copyright © Benjamin M. Ogles

(Add ratings	together) Total	
/		,	

January 2000 (Parent-1)

Response Scale for OHIO Problem Scale

0 1 2 3 4 5

Not at all Once or twice times Often Most of the time

Clining to the later of the lat	Clin at ID	Date of Considering	,	/
Client Initials:	Client ID:	Date of Completion:	/	/
Cheffe initials.	CHCHCID.	Date of completion.	, ,	

Ohio Youth Problem and Functioning Scales (Caregiver: English) Parent Rating – Short Form continued

Instructions: Please rate the degree to which your child's problems affect his or her current ability in everyday activities. Consider your child's current level of functioning.	Extreme Troubles	Quite a Few Troubles	Some Troubles	Ą	Doing Very Well
Getting along with friends	0	1	2	3	4
Getting along with family	0	1	2	3	4
Dating or developing relationships with boyfriends orgirlfriends	0	1	2	3	4
4. Getting along with adults outside the family (teachers, principal)	0	1	2	3	4
5. Keeping neat and clean, looking good	0	1	2	3	4
6. Caring for health needs and keeping good health habits (taking medicines or brushing teeth)	0	1	2	3	4
7. Controlling emotions and staying out of trouble	0	1	2	3	4
Being motivated and finishing projects	0	1	2	3	4
Participating in hobbies (baseball cards, coins, stamps, art)	0	1	2	3	4
10. Participating in recreational activities (sports, swimming, bike riding)	0	1	2	3	4
11. Completing household chores (cleaning room, other chores)	0	1	2	3	4
12. Attending school and getting passing grades in school	0	1	2	3	4
13. Learning skills that will be useful for future jobs	0	1	2	3	4
14. Feeling good about self	0	1	2	3	4
15. Thinking clearly and making good decisions	0	1	2	3	4
16. Concentrating, paying attention, and completing tasks	0	1	2	3	4
17. Earning money and learning how to use money wisely	0	1	2	3	4
18. Doing things without supervision or restrictions	0	1	2	3	4
19. Accepting responsibility for actions	0	1	2	3	4
20. Ability to express feelings	0	1	2	3	4

Copyright	©	Benjamin	M.	Ogles
-----------	---	----------	----	-------

January 2000 (Parent-2)

(Add ratings together) Total _	
--------------------------------	--

Response Scale for OHIO Functioning Scale

0 1 2 3 4

Extreme Quite a few Some OK Doing troubles troubles troubles very well