



EBP INTAKE ASSESSMENT PACKET

TF-CBT

Ages 7 & Older English

Required Forms									
1. Demographic Information:									
Client Intake Face Sheet \square									
2. Child's Trauma History:									
<i>Trauma History Screen-</i> Caregiver Re	•								
Trauma History Screen- Child Repor	t 🗆								
3. Child's Trauma Symptoms:									
<i>CPSS V</i> - Caregiver Report \square									
<i>CPSS V</i> - Child Report \square									
4. Child's Behavior & Functioning:									
<i>Ohio-</i> Caregiver Report \square									
Ohio- Child Report (if Child Age 12 o	or older) 🗆								
Supplemental A (Included in Supplemental									
Child Depression:	·								
SMFQ- Caregiver Report	Child Anxiety:								
SMFQ- Child Report	PROMIS-Child Report								
	PROMIS-Caregiver Report								
Caregiver Symptoms:									
CESD-R (Caregiver Depression)									
PSS (Caregiver Stress)									
PCL-5 (Caregiver Trauma Symptoms)									



Intake Facesheet



VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

- ! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.
- This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Direct Service Provider User Information											
Clinician First and Last Name:											
Treatment Setting: Circle only ONE		Based School nity Support	CYFSC DCF Detention Extended	•		Group Home Hospital In-Home Outpatient Clinic	-	ntial T	ential Treatment Facility reatment Center d	Shelter Training Only Other	
			Child	Infor	matic	n					
First Initial Child's First Name:				First Initial Child's Last Name: !							
Date of Birth: !				Age:							
Sex: !		Female			Interse	x					
	П	Male			Other (specify)→					
Grade (current): *											
Race: *		American Indian o Native	or Alaska		Black o	r African American			White		
	0	Asian		0		Hawaiian or Other Islander		_	Other (specify)		
Hispanic Origin: *		Yes, Cuban			Yes, of	Hispanic/Latino Orig	gin		Yes, South or Central A	merican	
		Yes, Mexican, Mex American, Chicano			Yes, Pu	erto Rican			No, Not of Hispanic, Lat Spanish Origin	ino, or	
City/town:				ST:				Zip: *			
		Chi	ild Idei	ntifica	ation (Codes					
Agency-assigned Client ID Number (not PHI): !				PSDC	RS Clie	nt ID Number:	!				
			Family	y Info	rmati	on					
Caregiver 1 Relationship: *				Careg	iver 2	Relationship:					
Preferred Language of Adult Participating in Treatment: *							·				
Does the adult participating in t	reatmo	ent speak Englis	sh?		Yes				No		
Primary Language of Child:							•				
Family Composition: * Select the choice that best describes	П	Two parent family	,			parent - cal/adoptive parent			Relative/guardian		
the composition of the family.	_	Single Parent with unrelated partner			Blende	d Family			Other		



Intake Facesheet



Living Situation of Child: *		College Dormitory		Job Corps		Psychiatric Hospital
What is the child's living situation?		Crisis Residence		Medical Hospital		Residential Treatment Facility
	0	DCF Foster Home		Mentor		TFC Foster Home (privately licensed)
		Group Home		Military Housing		Transitional Housing
		Homeless/Shelter		Other (specify):		
		Jail/Correctional Facility		Private Residence		
		System	Invo	olvement		
Child/Family involved with DCF?	*			Yes		No
If child / family is involved with	DCF, p	lease complete ALL of t	he fol	lowing questions:		
DCF Case ID: (if available)			_	Person Link ID: vailable)		
		Child Protective Services – In-Home		Family with Service Needs – (FWSN) In-Home		Not DCF – On Probation
DCF Status:		Child Protective Services – Out of Home		Family with Service Needs (FWSN) Out of Home		Not DCF – Other Court Involved
DCF Status.		Dual Commitment (JJ and Child Protective Services)	□	Juvenile Justice (delinquency) commitment	□	Termination of Parental Rights
		Family Assessment Response		Not DCF		Voluntary Services Program
DCF Regional Office:						
Youth involved with Juvenile Jus	stice (J	J) System? *		Yes		No
If youth is involved with JJ, pleas	se con	plete ALL of the follow	ng qu	estions:		
CSSD Client ID: (if available)			CSSI	Case ID: (if available)		
CSSD Case Type:				Delinquency		Family with Service Needs (Status Offense)
		Administrative Supervision		Juvenile probation		Restore Probation
CSSD Case Status:		Extended Probation		Non-Judicial FWSN Family Service Agreement		Suspended Order
C33D Case Status.		Interim Orders		Non-Judicial Supervision (NJS)		Waived PDS - Probation
		Judicial FWSN Supervision		Non-Judicial Supervision Agreement		
Court District:						
Court Handling Decision:				Judicial		Non-Judicial
		Specific Trea	tme	nt Information		
What treatment model are you	using	with this child? *		TF-CBT		MATCH-ADTC
First Clinical Session Date: * Date of first EBP clinical session						



Intake Facesheet



		Treatme	nt In	formation		
Agency Referral Date/Request for Service: * Date child was referred to agency				is the intake date for the client at gency?		
Referral Date: * Date referred for EBP services			Inta	ke Date: EBP Intake Date		
Referral Source: * Select the source of the EBP referral		Child Youth-Family Support Center (CYFSC)		Family Advocate	0	Physician
		Community Natural Support		Foster Parent		Police
		Congregate Care Facility		Info-Line (211)		Probation/Court
		CTBHP/Insurer		Juvenile Probation / Court		Psychiatric Hospital
		DCF		Other Community Provider Agency		School
		Detention Involved		Other Program within Agency		Self/Family
		Emergency Department		Other State Agency		
Assessment Outcome: What was the outcome of the referral to		Assessment not completed		Not appropriate for selected EBP		No treatment needed
the agency's EBP team? *		Appropriate for selected EBP		Not appropriate for selected EBP but needs other treatment		
Normal Slightly Severe Mi	ldly Se	<u> </u>		Markedly Severe Very seve	re	Among the most severe symptoms that any child may experience
During the 3 months prior to the start of	f EBP tre					
Child's school attendance: *	0	Good (few or no days missed)		No School Attendance: Child Too Young for School	_	No School Attendance: Other
		Fair (several days missed)		No School Attendance: Child Suspended/Expelled from School		
		Poor (many days missed)		No School Attendance: Child Dropped Out of School		
Suspended or expelled: *				Yes		No
IEP: *Does the child have an Individual	Educati	on Plan (special education)?		Yes		No
		Treatment	Infor	mation: Legal		
During the 3 months prior to the start of	f EBP tre					
Arrested: * Has the child been arrest	ed since	start of treatment?		Yes		No
Detained or incarcerated: * Has incarcerated since start of treatment?	the child	d been detained or		Yes		No
		Treatment In	form	ation: Medical		
During the 3 months prior to the start of	f EBP tre	eatment				
Alcohol and/or drugs problems:	*			Yes		No
Evaluated in ER/ED for psychiate	ric issu	es: *		Yes		No
Certified medically complex: *			П	Yes	_	No

Client Initials:	Client ID:	Date of Completion:	/	/
Cheffi illiciais.	Client ID.	Date of Completion.	JJ	·

Trauma History Screen (THS) (Caregiver: English)

	Directions: Ask how many times each event happened, and how much it affected the child when it happened and now.	How many times has this happened?					The worst time this happened, how much did it affect him/her?					thi		ill a	n do ffec l?	
	"Has your child ever"	Never	Once	2-3 times	4-10 times	10+ times	Not at all	A little bit	Moderately	Quite a bit	Extremely	Not at all	A little bit	Moderately	Quite a bit	Extremely
1	Been in or seen a very bad accident?						1	2	3	4	5	1	2	3	4	5
2	Had someone s/he know been so badly injured or sick that s/he almost died?						1	2	3	4	5	1	2	3	4	5
3	Known somebody who died?						1	2	3	4	5	1	2	3	4	5
4	Been so sick or hurt that you or the doctor thought s/he might die?						1	2	3	4	5	1	2	3	4	5
5	Been unexpectedly separated from someone who s/he depends on for love or security for more than a few days?						1	2	3	4	5	1	2	3	4	5
6	Had somebody close to him/her try to kill or hurt themself?						1	2	3	4	5	1	2	3	4	5
7	Been physically hurt or threatened by someone?						1	2	3	4	5	1	2	3	4	5
8	Been robbed or seen someone get robbed?						1	2	3	4	5	1	2	3	4	5
9	Been kidnapped by somebody?						1	2	3	4	5	1	2	3	4	5
1 0	Been in or seen a hurricane, earthquake, tornado, or bad fire?						1	2	3	4	5	1	2	3	4	5
1	Been attacked by a dog or other animal?						1	2	3	4	5	1	2	3	4	5
1 2	Seen or heard people physically fighting or threatening to hurt each other?						1	2	3	4	5	1	2	3	4	5
1 3	Seen or heard somebody shooting a gun, using a knife, or using another weapon?						1	2	3	4	5	1	2	3	4	5
1 4	Seen a family member arrested or in jail?						1	2	3	4	5	1	2	3	4	5
1 5	Had a time in your life when s/he did not have the right care (e.g. food, clothing, a place to live)?						1	2	3	4	5	1	2	3	4	5
1 6	Been forced to see or do something sexual?						1	2	3	4	5	1	2	3	4	5
1 7	Seen or heard someone else being forced to do something sexual?						1	2	3	4	5	1	2	3	4	5
1 8	Watched people using drugs (like smoking, sniffing, or using needles)?						1	2	3	4	5	1	2	3	4	5
1 9	Seen something else that was very scary or where s/he thought somebody might get hurt or die? Specify:						1	2	3	4	5	1	2	3	4	5

20. Which one **bothers your child the MOST** right now: #_____ How long ago did it happen: _____

Response Scale for THS

1 2 3 4 5

Not at All Bit Moderately Quite Extremely A bit

Client Initials: Client ID: Date of Completion:	/	/

Trauma History Screen (THS) (Child: English)

	Directions: Ask how many times each event happened, and how much it affected the child when it happened and now.	How many times has this happened?					hap	wors	l, hov	w mu			w mud			is
	"Have you ever"	Never	Once	2-3 times	4-10 times	10+ times	Not at all	A little bit	Moderately	Quite a bit	Extremely	Not at all	A little bit	Moderately	Quite a bit	Extremely
1	Been in or seen a very bad accident?						1	2	3	4	5	1	2	3	4	5
2	Had someone you know been so badly injured or sick that s/he almost died?						1	2	3	4	5	1	2	3	4	5
3	Known somebody who died?						1	2	3	4	5	1	2	3	4	5
4	Been so sick or hurt that you or the doctor thought you might die?						1	2	3	4	5	1	2	3	4	5
5	Been unexpectedly separated from someone who you depend on for love or security for more than a few days?						1	2	3	4	5	1	2	3	4	5
6	Had somebody close to you tried to kill or hurt themself?						1	2	3	4	5	1	2	3	4	5
7	Been physically hurt or threatened by someone?						1	2	3	4	5	1	2	3	4	5
8	Been robbed or seen someone get robbed?						1	2	3	4	5	1	2	3	4	5
9	Been kidnapped by somebody?						1	2	3	4	5	1	2	3	4	5
10	Been in or seen a hurricane, earthquake, tornado, or bad fire?						1	2	3	4	5	1	2	3	4	5
11	Been attacked by a dog or other animal?						1	2	3	4	5	1	2	3	4	5
12	Seen or heard people physically fighting or threatening to hurt each other?						1	2	3	4	5	1	2	3	4	5
13	Seen or heard somebody shooting a gun, using a knife, or using another weapon?						1	2	3	4	5	1	2	3	4	5
14	Seen a family member arrested or in jail?						1	2	3	4	5	1	2	3	4	5
15	Had a time in your life when you did not have the right care (e.g. food, clothing, a place to live)?						1	2	3	4	5	1	2	3	4	5
16	Been forced to see or do something sexual?						1	2	3	4	5	1	2	3	4	5
17	Seen or heard someone else being forced to do something sexual?						1	2	3	4	5	1	2	3	4	5
18	Watched people using drugs (like smoking, sniffing, or using needles)?						1	2	3	4	5	1	2	3	4	5
19	Seen something else that was very scary or where you thought somebody might get hurt or die? Specify:						1	2	3	4	5	1	2	3	4	5

20. Which one **bothers you the most right now**: # _____ How long ago did it happen: _____

Response Scale for THS

1	2	3	4	5
Not at	Little	Moderately	Quite	Extremely
All	Bit		A bit	

Client Initials:	Client ID:	Date of Completion:/	/	/

CPSS - V Child Report (English)

20.

Having trouble falling or staying asleep

These questions ask about how you feel about the upsetting things you described. Choose the number (0-4) that best describes how often that problem has bothered you **IN THE LAST MONTH.**

	0	1	2	3			4		
	Not at all	Once a week or less / a little	2 to 3 times a week / somewhat	4 to 5 times a week / a lot	6 or mo	re time	s a week	/ almost	always
1.	Having up want them		s about it that came into your	head when you didn't	0	1	2	3	4
2.	Having ba	d dreams or nightmares			0	1	2	3	4
3.		eeling as if it was happenir	ng again (seeing or hearing so	mething and feeling as	0	1	2	3	4
4.		set when you remember w , confused)	hat happened (for example, fe	eeling scared, angry,	0	1	2	3	4
5.		elings in your body when yo ing fast, stomach or head h	ou remember what happened (urting)	(for example, sweating,	0	1	2	3	4
6.	Trying not	to think about it or have for	eelings about it		0	1	2	3	4
7.		stay away from anything thaces, or conversations abou	at reminds you of what happe at it)	ened (for example,	0	1	2	3	4
8.	Not being	able to remember an impo	rtant part of what happened		0	1	2	3	4
9.			other people, or the world (for "The world is a scary place")		0	1	2	3	4
10.		hat what happened is your have done that", "I deserve	fault (for example, "I should hed it")	nave known better", "I	0	1	2	3	4
11.	Having str	ong bad feelings (like fear,	anger, guilt, or shame)		0	1	2	3	4
12.	Having mu	uch less interest in doing th	ings you used to do		0	1	2	3	4
13.	Not feeling	g close to your friends or fa	mily or not wanting to be arou	und them	0	1	2	3	4
14.	Trouble ha	aving good feelings (like ha	ppiness or love) or trouble ha	ving any feelings at all	0	1	2	3	4
15.	Getting an	gry easily (for example, yel	ling, hitting others, throwing t	chings)	0	1	2	3	4
16.		gs that might hurt yourself way, cutting yourself)	rinking alcohol,	0	1	2	3	4	
17.		careful or on the lookout full and what is around you)	king to see who is	0	1	2	3	4	
18.		py or easily scared (for exa loud noise)	mple, when someone walks u	p behind you, when	0	1	2	3	4
19.	_	ouble paying attention (for read, unable to pay attention	example, losing track of a stor on in class)	y on TV, forgetting	0	1	2	3	4

Adapted from Foa, E.B.; Johnson, K.M., & Treadwell, K.R.H. The Child PTSD Symptom Scale for DSM 5 (2014)

2

1

0

3

4

Child PTSD Symptom Scale

Client Initials:	Client ID:	Date of Completion:	/	/
diferre fifferals:	GHEHE 1D.	Date of dompletion:	/	/

CPSS - V Caregiver Report (English)

These questions ask about how your child feels about the upsetting things you described. Choose the number (0-4) that best describes how often that problem has bothered him/her <u>IN THE LAST MONTH</u>.

0	1	2	3	4
Not at all	Once a week or less / a little	2 to 3 times a week / somewhat	4 to 5 times a week / a lot	6 or more times a week / almost always

1.	Having upsetting thoughts or pictures about it that came into your child's head when he/she didn't want them to	0	1	2	3	4
2.	Having bad dreams or nightmares	0	1	2	3	4
3.	Acting or feeling as if it was happening again (seeing or hearing something and feeling as if he/she was there again)	0	1	2	3	4
4.	Feeling upset when he/she remember what happened (for example, feeling scared, angry, sad, guilty, confused)	0	1	2	3	4
5.	Having feelings in his/her body when he/she remembers what happened (for example, sweating, heart beating fast, stomach or head hurting)	0	1	2	3	4
6.	Trying not to think about it or have feelings about it	0	1	2	3	4
7.	Trying to stay away from anything that remind him/her of what happened (for example, people, places, or conversations about it)	0	1	2	3	4
8.	Not being able to remember an important part of what happened	0	1	2	3	4
9.	Having bad thoughts about himself/herself, other people, or the world (for example, "I can't do anything right", "All people are bad", "The world is a scary place")	0	1	2	3	4
10.	Thinking that what happened is his/her fault (for example, "I should have known better", "I shouldn't have done that", "I deserved it")		1	2	3	4
11.	Having strong bad feelings (like fear, anger, guilt, or shame)		1	2	3	4
12.	Having much less interest in doing things he/she used to do		1	2	3	4
13.	Not feeling close to his/her friends or family or not wanting to be around them	0	1	2	3	4
14.	Trouble having good feelings (like happiness or love) or trouble having any feelings at all	0	1	2	3	4
15.	Getting angry easily (for example, yelling, hitting others, throwing things)	0	1	2	3	4
16.	Doing things that might hurt himself/herself (for example, taking drugs, drinking alcohol, running away, cutting himself/herself)	0	1	2	3	4
17.	Being very careful or on the lookout for danger (for example, checking to see who is around him/her and what is around him/her)	0	1	2	3	4
18.	Raing jumpy or assily scared (for avample, when someone walks up, behind him/her		2	3	4	
19.	Having trouble paying attention (for example, losing track of a story on TV, forgetting what he/she read, unable to pay attention in class)	0	1	2	3	4
20.	Having trouble falling or staying asleep	0	1	2	3	4
I	Adapted from Foa, E.B.; Johnson, K.M., & Treadwell, K.R.H. The Child PTSD symptom S	cale f	or DS	SM 5 ([2014]	

Child PTSD Symptom Scale

0

Not at all

1

Once a week or less/ a little

2

2 to 3 times a week / somewhat

3

4 to 5 times a week / a lot 4

6 or more times a week/almost always

Client Initials:	Client ID:	Date of Completion: /	/	/

Ohio Mental Health Consumer Outcomes System Ohio Youth Problem and Functioning Scales (Caregiver: English) Parent Rating – Short Form

Instructions: Please rate the degree to which your child has experienced the following problems in the past 30 days.	Not at All	Once or Twice	Several Times	Often	Most of the Time	All of the Time
Arguing with others	0	1	2	3	4	5
2. Getting into fights	0	1	2	3	4	5
3. Yelling, swearing, or screaming at others	0	1	2	3	4	5
4. Fits of anger	0	1	2	3	4	5
5. Refusing to do things teachers or parents ask	0	1	2	3	4	5
6. Causing trouble for no reason	0	1	2	3	4	5
7. Using drugs or alcohol	0	1	2	3	4	5
8. Breaking rules or breaking the law (out past curfew, stealing)	0	1	2	3	4	5
9. Skipping school or classes	0	1	2	3	4	5
10. Lying	0	1	2	3	4	5
11. Can't seem to sit still, having too much energy	0	1	2	3	4	5
12. Hurting self (cutting or scratching self, taking pills)	0	1	2	3	4	5
13. Talking or thinking about death	0	1	2	3	4	5
14. Feeling worthless or useless	0	1	2	3	4	5
15. Feeling lonely and having no friends	0	1	2	3	4	5
16. Feeling anxious or fearful	0	1	2	3	4	5
17. Worrying that something bad is going to happen	0	1	2	3	4	5
18. Feeling sad or depressed	0	1	2	3	4	5
19. Nightmares	0	1	2	3	4	5
20. Eating problems	0	1	2	3	4	5

Copyright © Benjamin M. Ogles

(Add ratings	together) Total	

January 2000 (Parent-1)

Response Scale for OHIO Problem Scale

O 1 2 3 4 5

Not at all Once or twice times Often Most of the time

Client Initials:	Client ID:	Date of Completion: / /	

Ohio Youth Problem and Functioning Scales (Caregiver: English)

Parent Rating - Short Form continued

Instructions: Please rate the degree to which your child's problems affect his or her current ability in everyday activities. Consider your child's current level of functioning.	Extreme Troubles	Quite a Few Troubles	Some Troubles	Ą	Doing Very Well
Getting along with friends	0	1	2	3	4
Getting along with family	0	1	2	3	4
Dating or developing relationships with boyfriends orgirlfriends	0	1	2	3	4
4. Getting along with adults outside the family (teachers, principal)	0	1	2	3	4
5. Keeping neat and clean, looking good	0	1	2	3	4
6. Caring for health needs and keeping good health habits (taking medicines or brushing teeth)	0	1	2	3	4
7. Controlling emotions and staying out of trouble	0	1	2	3	4
Being motivated and finishing projects	0	1	2	3	4
Participating in hobbies (baseball cards, coins, stamps, art)		1	2	3	4
10. Participating in recreational activities (sports, swimming, bike riding)	0	1	2	3	4
11. Completing household chores (cleaning room, other chores)	0	1	2	3	4
12. Attending school and getting passing grades in school	0	1	2	3	4
13. Learning skills that will be useful for future jobs	0	1	2	3	4
14. Feeling good about self	0	1	2	3	4
15. Thinking clearly and making good decisions	0	1	2	3	4
16. Concentrating, paying attention, and completing tasks	0	1	2	3	4
17. Earning money and learning how to use money wisely	0	1	2	3	4
18. Doing things without supervision or restrictions	0	1	2	3	4
19. Accepting responsibility for actions	0	1	2	3	4
20. Ability to express feelings	0	1	2	3	4

Copyright	©	Benjamin	M.	Ogles
-----------	---	----------	----	-------

January 2000 (Parent-2)

(Add ratings together) Total	-
------------------------------	---

Response Scale for OHIO Functioning Scale

O 1 2 3 4

Extreme Quite a few Some OK Doing troubles troubles troubles very well

Ohio Mental Health Consumer Outcomes System Ohio Youth Problem and Functioning Scales (Child: English) Youth Rating – Short Form (Ages 12-18)

Instructions: Please rate the degree to which you have experienced the following problems in the past 30 days.	Not at All	Once or Twice	Several Times	Often	Most of the Time	All of the Time
Arguing with others	0	1	2	3	4	5
2. Getting into fights	0	1	2	3	4	5
3. Yelling, swearing, or screaming at others	0	1	2	3	4	5
4. Fits of anger	0	1	2	3	4	5
5. Refusing to do things teachers or parents ask	0	1	2	3	4	5
6. Causing trouble for no reason	0	1	2	3	4	5
7. Using drugs or alcohol	0	1	2	3	4	5
8. Breaking rules or breaking the law (out past curfew, stealing)	0	1	2	3	4	5
9. Skipping school or classes	0	1	2	3	4	5
10. Lying	0	1	2	3	4	5
11. Can't seem to sit still, having too much energy	0	1	2	3	4	5
12. Hurting self (cutting or scratching self, taking pills)	0	1	2	3	4	5
13. Talking or thinking about death	0	1	2	3	4	5
14. Feeling worthless or useless	0	1	2	3	4	5
15. Feeling lonely and having no friends	0	1	2	3	4	5
16. Feeling anxious or fearful	0	1	2	3	4	5
17. Worrying that something bad is going to happen	0	1	2	3	4	5
18. Feeling sad or depressed	0	1	2	3	4	5
19. Nightmares	0	1	2	3	4	5
20. Eating problems	0	1	2	3	4	5

(Add ratings	together) Total	

Copyright © Benjamin M. Ogles January 2000 (Youth-1)

Response Scale for OHIO Problem Scale

O 1 2 3 4 5

Not at Once or Several Often Most of All of the times the time

Client Initials:	Client ID:	Date of Completion: / /

Ohio Youth Problem and Functioning Scales (Child: English) Youth Rating – Short Form (Ages 12-18) continued

Instructions: Below are some ways your problems might get in the way of your ability to do everyday activities. Read each item and circle the number that best describes your current situation.	Extreme Troubles	Quite a Few Troubles	Some Troubles	OK	Doing Very Well
Getting along with friends	0	1	2	3	4
Getting along with family	0	1	2	3	4
Dating or developing relationships with boyfriends or girlfriends	0	1	2	3	4
Getting along with adults outside the family (teachers, principal)	0	1	2	3	4
5. Keeping neat and clean, looking good	0	1	2	3	4
6. Caring for health needs and keeping good health habits (taking medicines or brushing teeth)	0	1	2	3	4
7. Controlling emotions and staying out of trouble	0	1	2	3	4
Being motivated and finishing projects	0	1	2	3	4
9. Participating in hobbies (baseball cards, coins, stamps, art)	0	1	2	3	4
10. Participating in recreational activities (sports, swimming, bike riding)	0	1	2	3	4
11. Completing household chores (cleaning room, other chores)	0	1	2	3	4
12. Attending school and getting passing grades in school	0	1	2	3	4
13. Learning skills that will be useful for future jobs	0	1	2	3	4
14. Feeling good about self	0	1	2	3	4
15. Thinking clearly and making good decisions	0	1	2	3	4
16. Concentrating, paying attention, and completing tasks	0	1	2	3	4
17. Earning money and learning how to use money wisely	0	1	2	3	4
18. Doing things without supervision or restrictions	0	1	2	3	4
19. Accepting responsibility for actions	0	1	2	3	4
20. Ability to express feelings	0	1	2	3	4

(Add ratings together) Total	
------------------------------	--

January 2000 (Youth-1) Copyright © Benjamin M. Ogles

Response Scale for OHIO Functioning Scale

0 1 2 3 4

Extreme Quite a few Some OK Doing troubles troubles troubles very well