



EBP ASSESSMENT PACKET

ARC Ages 18 Months-4 Years English

	Required Forms
1.	Demographic Information: Client Intake Face Sheet \square
2.	Child's Trauma History: $Trauma\ History\ Screen$ - Caregiver Report \square
3.	Child's Trauma Symptoms: $YCPC$ - Caregiver Report \square
4.	Child's Behavior & Functioning: $PPSC$ - Caregiver Report \square
5.	Caregiver Symptoms: CESD-R Caregiver Depression \square
6.	Parental Capacity: Parental Stress Scale □
7.	ARC Monthly Session form \square
8.	Discharge Face Sheet \square
	Supplemental Assessments
S	d Depression: EMFQ- Child Report EMFQ- Caregiver Report
	giver Symptoms: PCL-5 (Caregiver Trauma Symptoms)
CAG	E-AID (Substance Abuse)
OHIO	O Satisfaction Questionnaire

Note: The recommended ongoing assessment for ARC is an age appropriate measure of caregiver symptoms. We suggest the CESDR or Parental Stress Scale. Alternate or additional measures can be used based on clinical judgment of primary symptom area targeted by treatment.



Intake Facesheet



VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

- ! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.
- * This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

		Direct Service Pr	ovide	er User Information		
Clinician First and Last Name: !			Sub-1	Team (CBITS/BB Only):		
Provider Name: !			Site N	Name: !		
		Child	Infor	mation		
First Initial Child's First Name:			First	Initial Child's Last Name:		
Date of Birth: !			Age:			
Sex: !		Female		Intersex		
		Male		Other (specify)→		
Grade (current): *						
Race: *	П	American Indian or Alaska Native		□ Black or African American		White
	П	Asian		Native Hawaiian or Other Pacific Islander		Other (specify)
Hispanic Origin: *		Yes, Cuban	☐ Yes, of Hispanic/Latino Origin			Yes, South or Central American
	П	Yes, Mexican, Mexican American, Chicano		☐ Yes, Puerto Rican		No, Not of Hispanic, Latino, or Spanish Origin
City/town:			ST:		Zip: *	
		Child Ide	ntific	ation Codes		
Agency-assigned Client ID Number (not PHI): !			PSDC	CRS Client ID Number:		
		Famil	y Info	rmation		
Caregiver 1 Relationship: *			Care	giver 2 Relationship:		
Preferred Language of Adult Participating in Treatment: *						
Does the adult participating in tre	atm	ent speak English?		Yes		No
Primary Language of Child:						
Family Composition: * Select the choice that best describes the	О	Two parent family		Single parent - biological/adoptive parent		Relative/guardian
composition of the family.	О	Single Parent with unrelated partner		Blended Family		Other



Intake Facesheet



Living Situation of Child: *		College Dormitory		Job Corps		Psychiatric Hospital
What is the child's living situation?		Crisis Residence		Medical Hospital		Residential Treatment Facility
		DCF Foster Home		Mentor		TFC Foster Home (privately licensed)
		Group Home		Military Housing		Transitional Housing
		Homeless/Shelter		Other (specify):		
		Jail/Correctional Facility		Private Residence		
		System	Invo	lvement		
Child/Family involved with DCF?	*			Yes		No
If child / family is involved with	DCF, p	lease complete ALL of ti	he fol	lowing questions:		
DCF Case ID: (if available)				Person Link ID: /ailable)		
	П	Child Protective Services – In-Home		Family with Service Needs – (FWSN) In-Home	П	Not DCF – On Probation
DCF Status:	О	Child Protective Services – Out of Home	П	Family with Service Needs (FWSN) Out of Home	0	Not DCF – Other Court Involved
Dei Status.	П	Dual Commitment (JJ and Child Protective Services)		Juvenile Justice (delinquency) commitment	_	Termination of Parental Rights
	О	Family Assessment Response		Not DCF		Voluntary Services Program
DCF Regional Office:						
Youth involved with Juvenile Jus	stice (J	J) System? *		Yes		No
If youth is involved with JJ, pleas	se com	plete ALL of the followi	ng qu	estions:		
CSSD Client ID: (if available)			CSSE	Case ID: (if available)		
CSSD Case Type:			_	Delinquency		Family with Service Needs (Status Offense)
		Administrative Supervision		Juvenile probation		Restore Probation
CSSD Case Status:	П	Extended Probation	_	Non-Judicial FWSN Family Service Agreement		Suspended Order
cosb case status.		Interim Orders		Non-Judicial Supervision (NJS)		Waived PDS - Probation
		Judicial FWSN Supervision		Non-Judicial Supervision Agreement		
Court District:						
Court Handling Decision:				Judicial		Non-Judicial
		Specific Trea	tmer	nt Information		
What treatment model are you	using v	with this child? *		CBITS		Bounce Back
				ARC		СРР
First Clinical Session Date: * Date of first EBP clinical session						



Intake Facesheet



Treatment Information									
Agency Referral Date/Request for Service: * Date child was referred to agency				ency Intake Date: * It is the intake date for the client at the acy?					
Referral Date: * Date referred for EBP services			•		•				
CGI*- Considering your expe	rience	e, how severe are the c	hild	s emotional, behavioral, an	d/or	cognitive concerns at the			
time of intake? Circle ONLY o				Markodly sovere - Very sove		Among the most severe symptoms			
Normal Slightly severe M	ildly se	·	ere	Markedly severe Very seve	ere 1	that any child may experience			
Referral Source: * Select the source of the EBP referral		Child Youth-Family Support Center (CYFSC)	_	Family Advocate	_	Physician			
		Community Natural Support		Foster Parent		Police			
		Congregate Care Facility		Info-Line (211)		Probation/Court			
		CTBHP/Insurer		Juvenile Probation / Court		Psychiatric Hospital			
		DCF		Other Community Provider Agency		School			
		Detention Involved		Other Program within Agency		Self/Family			
		Emergency Department		Other State Agency					
Assessment Outcome:		Assessment not completed		Not appropriate for selected EBP		No treatment needed			
What was the outcome of the referral to the agency's EBP team? *	_	Appropriate for selected EBP	_	Not appropriate for selected EBP but needs other treatment					
EBP Intake Date:					I				
		Treatment In	forn	nation: School					
During the 3 months prior to the start of	EBP tre								
		Good (few or no days		No School Attendance: Child Too					
Child's school attendance: *		missed)		Young for School		No School Attendance: Other			
	П	Fair (several days missed)	П	No School Attendance: Child Suspended/Expelled from School					
	П	Poor (many days missed)	_	No School Attendance: Child Dropped Out of School					
Suspended or expelled: *				Yes		No			
IEP: *Does the child have an Individual	Education	on Plan (special education)?	П	Yes	П	No			
		Treatment Ir	for	mation: Legal					
During the 3 months prior to the start of	EBP tre	eatment							
Arrested: * Has the child been arrest	ed since	start of treatment?	П	Yes	П	No			
Detained or incarcerated: * Has incarcerated since start of treatment?	the child	d been detained or	П	Yes	_	No			
		Treatment Inf	orm	ation: Medical					
During the 3 months prior to the start of	f EBP tre	eatment							
Alcohol and/or drugs problems:	*		П	Yes	П	No			
Evaluated in ER/ED for psychiati	ric issu	es: *	П	Yes	О	No			
Certified medically complex: *				Yes		No			

Client Initials:	Client ID:	Date of Completion:	/	/
Cheffi illiciais.	Client ID	Date of Completion.	JJ	·

Trauma History Screen (THS) (Caregiver: English)

	Directions: Ask how many times each event happened, and how much it affected the child when it happened and now.	tin	How many times has this happened?			The worst time this happened, how much did it affect him/her?					How much does this still affect your child?					
	"Has your child ever"	Never	Once	2-3 times	4-10 times	10+ times	Not at all	A little bit	Moderately	Quite a bit	Extremely	Not at all	A little bit	Moderately	Quite a bit	Extremely
1	Been in or seen a very bad accident?						1	2	3	4	5	1	2	3	4	5
2	Had someone s/he know been so badly injured or sick that s/he almost died?						1	2	3	4	5	1	2	3	4	5
3	Known somebody who died?						1	2	3	4	5	1	2	3	4	5
4	Been so sick or hurt that you or the doctor thought s/he might die?						1	2	3	4	5	1	2	3	4	5
5	Been unexpectedly separated from someone who s/he depends on for love or security for more than a few days?						1	2	3	4	5	1	2	3	4	5
6	Had somebody close to him/her try to kill or hurt themself?						1	2	3	4	5	1	2	3	4	5
7	Been physically hurt or threatened by someone?						1	2	3	4	5	1	2	3	4	5
8	Been robbed or seen someone get robbed?						1	2	3	4	5	1	2	3	4	5
9	Been kidnapped by somebody?						1	2	3	4	5	1	2	3	4	5
1 0	Been in or seen a hurricane, earthquake, tornado, or bad fire?						1	2	3	4	5	1	2	3	4	5
1	Been attacked by a dog or other animal?						1	2	3	4	5	1	2	3	4	5
1 2	Seen or heard people physically fighting or threatening to hurt each other?						1	2	3	4	5	1	2	3	4	5
1 3	Seen or heard somebody shooting a gun, using a knife, or using another weapon?						1	2	3	4	5	1	2	3	4	5
1 4	Seen a family member arrested or in jail?						1	2	3	4	5	1	2	3	4	5
1 5	Had a time in your life when s/he did not have the right care (e.g. food, clothing, a place to live)?						1	2	3	4	5	1	2	3	4	5
1 6	Been forced to see or do something sexual?						1	2	3	4	5	1	2	3	4	5
1 7	Seen or heard someone else being forced to do something sexual?		_				1	2	3	4	5	1	2	3	4	5
1 8	Watched people using drugs (like smoking, sniffing, or using needles)?						1	2	3	4	5	1	2	3	4	5
1 9	Seen something else that was very scary or where s/he thought somebody might get hurt or die? Specify:						1	2	3	4	5	1	2	3	4	5

20. Which one **bothers your child the MOST** right now: #_____ How long ago did it happen: _____

Response Scale for THS

1 2 3 4 5

Not at All Bit Moderately Quite Extremely A bit

Client Initials:	Client ID:	Date of Completion:	/	/
Cherre militials.	CHETTE ID:	Date of completion.	, ,	,

YOUNG CHILD PTSD CHECKLIST (YCPC) (Caregiver: English)

For Child under 7 years old.

Below is a list of symptoms that children can have after life-threatening events.

When you think of ALL the life-threatening traumatic events from the first page, circle the number below (0-4) that best describes how often the symptom has bothered you in the LAST 2 WEEKS.

	0	1	2	3					
	Not at all	Once a week/	2 to 4 times a week/	5 or more times a w					
		Once in a while	Half the time	Almost always					
1	D 11	711		D // 1 ' '/	0	1	1 2	1 2	T 4 1
1.	8						2	3	4
2	up on his/her		م مالم ما المنابعة ا	Acres 9 This recould	0	1	2	3	4
2.		ild re-enact the trauma			U	1	2	3	4
		look just like the trau	ima. Or does s/ne act	it out by					
2		r with other kids?		a a a a a a a a a a a a a a a a a a a	0	1	2	3	1
3.		having more nightmar			0	1	2	3	4
4.		ild act like the traumat			U	1	2	3	4
		isn't? This is where a	_	=					
		nt and aren't in touch	with reality. This is a	pretty obvious					
	thing when it	* * * * * * * * * * * * * * * * * * * *	. 1 1 /1	, C 0.37	0	1	_	2	1
5.		ma(s) has s/he had ep			0	1	2	3	4
6.		d to snap him/her out			0	1	2	3	4
0.		upset when exposed t			U	1	2	3	4
		ild who was in a car v							
		a child who was in a h	_						
	_	child who saw domes							
		argue. Or, a girl who w	vas sexually abused if	iight be hervous					
7		e touches her.			0	1	2	3	1
7.	-	ild get physically distr	_		0	1	2	3	4
	_	shaking hands, sweaty		ck to his/her					
0		nk of the same type of		-1 -1 1-1 /1	0	1	2	3	1
8.	-	ild try to avoid conver			0	1	2	3	4
		or example, if other pe	opie taik about what i	nappened, does s/ne					
0	•	change the topic?	1 1 1 1 1 1	1 ' /1 C./1	0	1	2	3	1
9.		ild try to avoid things			0	1	2	3	4
	, ,	or example, a child wh		· ·					
		car. Or, a child who v	•	•					
	_	Or, a child who saw	_						
		se where it occurred. (
10		out going to bed beca						-	
10.	_	ild have difficulty remaine entire event?	nembering the whole i	ncident? Has s/he					
11.			e that c/ha usad to 132	a to do since the	0	1	2	3	4
11.	trauma(s)?	interest in doing thing	s mai sine used to like	to do since the	U	1			+
12.		ma(s), does your child	d show a restricted rar	age of nositive	0	1	2	3	4
14.		nis/her face compared		igo oi positive		1			-
		ns/ ner race compared	to octore:					<u> </u>	

Client Initials:	Client ID:	Date of Completion: /	/

YCPC (Caregiver: English) continued

13.	Has your child lost hope for the future? For example, s/he believes will not					
	have fun tomorrow, or will never be good at anything.					
14.	Since the trauma(s) has your child become more distant and withdrawn from family members, relatives, or friends?	0	1	2	3	4
15.	Has s/he had a hard time falling asleep or staying asleep since the	0	1	2	3	4
1.0	trauma(s)?	-			2	1
16.	Has your child become more irritable, or had outbursts of anger, or	0	1	2	3	4
	developed extreme temper tantrums since the trauma(s)?					<u> </u>
17.	Has your child had more trouble concentrating since the trauma(s)?	0	1	2	3	4
18.	Has s/he been more "on the alert" for bad things to happen? For example, does s/he look around for danger?	0	1	2	3	4
19.	Does your child startle more easily than before the trauma(s)? For example, if there's a loud noise or someone sneaks up behind him/her, does s/he jump or seem startled?	0	1	2	3	4
20.	Has your child become more physically aggressive since the trauma(s)? Like hitting, kicking, biting, or breaking things.	0	1	2	3	4
21.	Has s/he become more clingy to you since the trauma(s)?	0	1	2	3	4
22.	Did night terrors start or get worse after the trauma(s)? Night terrors are	0	1	2	3	4
	different from nightmares: in night terrors a child usually screams in their					
	sleep, they don't wake up, and they don't remember it the next day.				_	
23.	Since the trauma(s), has your child lost previously acquired skills? For example, lost toilet training? Or, lost language skills? Or, lost motor skills	0	1	2	3	4
	working snaps, buttons, or zippers?					
24.	Since the trauma(s), has your child developed any new fears about things	0	1	2	3	4
	that don't seem related to the trauma(s)? What about going to the bathroom					
	alone? Or, being afraid of the dark?					
	FUNCTIONAL IMPAIRMENT					
	Do the symptoms that you endorsed above get in the way of your child's					
	ability to function in the following areas?					
25.	Do (symptoms) substantially "get in the way" of how s/he gets along with	0	1	2	3	4
	you, interfere in your relationship, or make you feel upset or annoyed?					
26.	Do these (symptoms) "get in the way" of how s/he gets along with brothers	0	1	2	3	4
	or sisters, and make them feel upset or annoyed?				2	
27.	Do (symptoms) "get in the way" of how s/he gets along with friends at all –	0	1	2	3	4
	at daycare, school, or in your neighborhood?				_	
28.	Do these (symptoms) "get in the way" with the teacher or the class more than average?	0	1	2	3	4
29.	Do (symptoms) make it harder for you to take him/her out in public than it would be with an average child?	0	1	2	3	4
	Is it harder to go out with your child to places like the grocery store? Or to a restaurant?					
30.	Do you think that these behaviors cause your child to feel upset?	0	1	2	3	4

© Michael Scheeringa, MD, MPH, 2010, Tulane University, New Orleans, LA. <u>mscheer@tulane.edu</u>. This form may be reproduced and used for free, but not sold, without further permission from the author.

Young Child PTSD Checklist Caregiver Response Scale

Client Initials:	Client ID:	Date of Completion:	/ /	/
		· ———	<i>,</i>	



PPSC (Caregiver: English)

18 months, 0 days to 65 months, 31 days *V1.06, 9-1-16*

These questions are about your child's behavior. Think about what you would expect of other children the same age, and tell us how much each statement applies to your child.

	Not at all	Somewnat	very Much
Does your child	Seem nervous or afraid? · · · · · · · · · · · · · · · · · ·	1	2
	Seem sad or unhappy? · · · · · · · · · · 0	1	2
	Get upset if things are not done in a certainway? · · · ①	1	2
	Have a hard time with change? · · · · · · · •	1	2
	Have trouble playing with other children? · · · · · · · · · · · · · · · · · · ·	1	2
	Break things on purpose? · · · · · · · · · · · · ·	1	2
	Fight with other children? · · · · · · · · · · · · · · · ·	1	2
	Have trouble paying attention? · · · · · · · · · · · · · · · ·	1	2
	Have a hard time calming down? · · · · · · · · · · · · · · · ·	1	2
	Have trouble staying with one activity? · · · · · · •	1	2
ls your child	Aggressive? · · · · · · · · · · · · · · · · · · ·	1	2
	Fidgety or unable to sit still? · · · · · · · · · · · · · · ·	1	2
	Angry? · · · · · · · · · · · · · · · · · · ·	1	2
Is it hard to	Take your child out in public? · · · · · · · · · · · ·	1	2
	Comfort your child? · · · · · · · · · · · · · · · · · ·	1	2
	Know what your child needs? · · · · · · · · · · · ·	1	2
	Keep your child on a schedule or routine? · · · · · ①	1	2
	Get your child to obey you? · · · · · · · · · •	1	2



copyright © Tufts Medical Center, 2010. All rights reserved.

Response Scale for PPSC

 $\begin{array}{cccc} 0 & 1 & 2 \\ \text{Not at all} & \text{Somewhat} & \text{Very Much} \end{array}$

Client Initials	Client ID.	Data of Completions	/	/
Client Initials:	Client ID:	Date of Completion: /	'	/

Center for Epidemiologic Studies Depression Scale – Revised (CESD-R) (Caregiver: English)

Below is a list of the ways you might have felt or behaved. Please check the boxes to tell me how often you have felt this		Noorder			
way in the past week or so.		1 – 2 days	3 – 4 days	5 – 7 days	Nearly every day for 2 weeks
My appetite was poor.	0	1	2	3	4
I could not shake off the blues.	0	1	2	3	4
I had trouble keeping my mind on what I was doing.	0	1	2	3	4
I felt depressed.	0	1	2	3	4
My sleep was restless.	0	1	2	3	4
I felt sad.	0	1	2	3	4
I could not get going.	0	1	2	3	4
Nothing made me happy.	0	1	2	3	4
I felt like a bad person.	0	1	2	3	4
I lost interest in my usual activities.	0	1	2	3	4
I slept much more than usual.	0	1	2	3	4
I felt like I was moving too slowly.	0	1	2	3	4
I felt fidgety.	0	1	2	3	4
I wished I were dead.	0	1	2	3	4
I wanted to hurt myself.	0	1	2	3	4
I was tired all the time.	0	1	2	3	4
I did not like myself.	0	1	2	3	4
I lost a lot of weight without trying to.	0	1	2	3	4
I had a lot of trouble getting to sleep.	0	1	2	3	4
I could not focus on the important things.	0	1	2	3	4

REFERENCE: Eaton, W. W., Smith, C., Ybarra, M., Muntaner, C., Tien, A. (2004). Center for Epidemiologic Studies Depression Scale: review and revision (CESD and CESD-R). In ME Maruish (Ed.). *The Use of Psychological Testing for Treatment Planning and Outcomes Assessment* (3rd Ed.), Volume 3: Instruments for Adults, pp. 363-377. Mahwah, NJ: Lawrence Erlbaum.

Response Scale for Caregiver Depression

Last week Last week Last week Last week Nearly Not at all or 1-2 days 3-4 days 5-7 days every day for 2 weeks

Client Initials:	Client ID:	Date of Completion: / /

Parental Stress Scale (Caregiver: English)

The following statements describe feelings and perceptions about the experience of being a parent. Think of each of the items in terms of how your relationship with your child or children typically is. Please indicate the degree to which you agree or disagree with the following items by placing the appropriate number in the space provided.

1 = Strongly disagree	2 = Disagree	3 = Undecided	4 = Agree	5 = Strongly agree
1 – Subligly disagree	Z - Disagicc	5 - Offacciaca	T - Agicc	J – Buongry agree

Rating		
	1.	I am happy in my role as a parent.
	2.	There is little or nothing I wouldn't do for my child(ren) if it was necessary.
	3.	Caring for my child(ren) sometimes takes more time and energy than I have to give.
	4.	I sometimes worry whether I am doing enough for my child(ren).
	5.	I feel close to my child(ren).
	6.	I enjoy spending time with my child(ren).
	7.	My child(ren) is an important source of affection for me.
	8.	Having child(ren) gives me a more certain and optimistic view for the future.
	9.	The major source of stress in my life is my child(ren).
	10.	Having child(ren) leaves little time and flexibility in my life.
	11.	Having child(ren) has been a financial burden.
	12.	It is difficult to balance different responsibilities because of my child(ren).
	13.	The behavior of my child(ren) is often embarrassing or stressful to me.
	14.	If I had it to do over again, I might decide not to have child(ren).
	15.	I feel overwhelmed by the responsibility of being a parent.
	16.	Having child(ren) has meant having too few choices and too little control over my life.
	17.	I am satisfied as a parent.
	18.	I find my child(ren) enjoyable.

Scoring

To compute the parental stress score, items 1, 2, 5, 6, 7, 8, 17, and 18 should be reverse scored as follows: (1=5)(2=4)(3=3)(4=2)(5=1). The item scores are then summed.

Reference: Berry, J. O., & Jones, W. H. (1995). The Parental Stress Scale: Initial psychometric evidence. Journal of Social and Personal Relationships, 12, 463-472

Response Scale for Parent Stress

1 2 3 4 5 Strongly Disagree Undecided Agree Strongly agree

ARC Monthly Session Form

VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.

This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Data Entry Person: Greyed-out fields are pulled in from the completed Client Face Sheet-Intake, so you won't have to enter them again here

		Dire	ect Service Provic	der User Informa	tion				
Clinician User ID:									
Clinician First Name:				Clinician Last Name	e:				
Organization Name:				Site Name:					
			Child Info	ormation					
First Initial of First Name:			st Initial of Last me:		Da	te of Birth:			
			Child Identifi	cation Codes					
Agency-assigned Client ID Number (not PHI):				PSDCRS Client ID Number:					
CSSD Client ID Number:				CSSD Case Number					
DCF Case ID:				DCF Person Link ID:					
			Session In	formation					
Total Number of Visits this month:			Total Number of No-Show Appointments this month:			Total Number Visits this mo conducted we telehealth	nth ⁄ia		
% of the total time sper with the child ONLY dur this month:				The total time spent for these three % questions should equal 100%					
% of the total time spent with the caregiver ONLY during this month:				The total time spent for these three % questions should equal 100%					
% of the total time spent with the child and caregiver TOGETHER during this month:				The total time spent for these three % questions should equal 100%					

Please check all of the ARC components used this month:											
Integrative/Foundational Strategies											
	Routines and Rituals		Psychoeducation								
Att	Attachment Domain										
	Caregiver Affect Management		Attunement		Effective Behavioral Respons	e					
Self	Self-Regulation Domain										
	Identification		Modulation	Expression/Relational Connection							
Cor	Competency Domain										
□ Executive Functions □ Self-Development & Identity											
Tra	uma Experience Ident	ifica	tion								
	Caregiver		Child								
Colla	aboration										
	ng this month, did you		DCF Worker		Probation officer		Physician				
com	municate with the d's:		School		Other						
Colla	Collaboration Notes:										
			Fur	nctio	ning						
_			Very much improved since the initiation of treatment		Much Improved		Minimally improved				
cond	pared to the child's dition at the start of , this child's condition is:		No change from baseline (the initiation of treatment)		Minimally worse		Much Worse				
	,		□ Very much worse since the initiation of treatment								
			Session Fi	delit	y Checklist						
Sess	ion Structure										
	r to how many sessions		None (0%)		Some (34-66%)		All (100%)				
	month did you prepare erials or a session plan?		A few (1-33%)	_	Most (67-99%)						
	ng how many sessions		None (0%)		Some (34-66%)		All (100%)				
	month was homework gned or reviewed?		A few (1-33%)		Most (67-99%)						
	ng how many sessions		None (0%)		Some (34-66%)		All (100%)				
save	month were COWS ed for the end of the ion?		A few (1-33%)	_	Most (67-99%)						
	ng how many sessions		None (0%)		Some (34-66%)		All (100%)				
this month did the child and/or caregiver practice/ demonstrate skill(s) in session (behavior rehearsal)?		_	A few (1-33%)		Most (67-99%)						





Discharge Facesheet

! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.

This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Data Entry Person: Greyed-out fields are pulled in from the completed Client Face Sheet-Intake, so you won't have to enter them again here											
Direct Service Provider User Information											
Clinician First Name: !					Clinician Last Name: !						
				Child Info	rma	ntion					
Child First Initial: !					Chi	ld Last Initial :					
	Child Identification Codes										
Which EBP?		ARC	П	CBITS		Bounce Back		СРР			
Discharge Information											
Discharge Date: */		/									
CGI: Considering your experience, how severe are the child's emotional, behavioral, and/or cognitive concerns at the time of discharge? (Circle only one):*	Normal Slightly severe Mildly severe Moderately severe Markedly severe Very severe Among the most severe symptom that any child may experience Successfully completed selected EBP Model requirements-no more treatment needed Successfully completed selected EBP Model requirements-			ghtly severe lidly severe lerately severe lekedly severe ery severe ery severe ld may experience mpleted selected uirements-no it needed mpleted selected		Referred for other non-ERP			Very much improved Much improved Minimally improved No change Minimally worse Much worse Very much worse Family moved out of area Referred to other agency (outpatient)		
	Family discontinued treatment			nued treatment		Referred to higher level of care				Assessment Only-no treatment needed	
	Oth	er (specify):									
				System Inv	olve	ement					
Child/Family involved with DCF? *						☐ Yes			No		
If child / family is involved with DC	F, pl	ease com	plet	e ALL of the fol	owi	ng questions:					
DCF Case ID: (if available)				DCF Person Link ID: (if available)							
DCF Status:	П	Child Prot Home	ective	e Services – In-		Family with Service (FWSN) In-Home	Nee	ds –	П	Not DCF – On Probation	
DCF Regional Office:		Child Prot Home	ective	e Services – Out of	П	Family with Service Needs (FWSN) Out of Home				Not DCF – Other Court Involved	





Discharge Facesheet

	Dual Commitment (JJ and Child Protective Services)			Juvenile Justice (delinquency) commitment		Termination of Parental Rights			
		Family Assessment Response		Not DCF		Voluntary Services Program			
Youth involved with Juvenile Justic	e (IJ) System? *		Yes		No			
If youth is involved with JJ, please	com	plete ALL of the following qu	esti	ons:					
CSSD Client ID: (if available)			cs	SD Case ID: (if available)					
CSSD Case Type:				Delinquency	П	Family with Service Needs (Status Offense)			
		Administrative Supervision		Juvenile probation		Restore Probation			
CSSD Case Status:	_	Extended Probation	_	Non-Judicial FWSN Family Service Agreement	п	Suspended Order			
C33D Case Status.		Interim Orders		Non-Judicial Supervision (NJS)		Waived PDS - Probation			
	_	Judicial FWSN Supervision		Non-Judicial Supervision Agreement					
Court District:									
Court Handling Decision:				Judicial		Non-Judicial			
		Treatment Infor	ma	tion: School					
Since the start of EBP treatment									
Child's school attendance: *	О	Good (few or no days missed)		No School Attendance: Child Too Young for School		No School Attendance: Other			
	0	Fair (several days missed)		No School Attendance: Child Suspended/Expelled from School					
		Poor (many days missed)		No School Attendance: Child Dropped Out of School					
Suspended or expelled: *				Yes	_	No			
IEP: *Does the child have an Individual Edu	ıcatio	n Plan (special education)?		Yes	П	No			
		Treatment Info	rma	ation: Legal					
Since the start of EBP treatment									
Arrested: * Has the child been arrested s	since	start of treatment?		Yes		No			
Detained or incarcerated: * Has the since start of treatment?	child	been detained or incarcerated		Yes	О	No			
		Treatment Inforr	nat	ion: Medical					
Since the start of EBP treatment									
Alcohol and/or drugs problems: *				Yes		No			
Evaluated in ER/ED for psychiatric	issue	es: *		Yes		No			
Certified medically complex: *				Yes		No			

Rev 6/30/2020